

Clouds and the Earth's Radiant Energy System (CERES)

Data Management System

Operator's Manual

Instantaneous Surface and Atmospheric Radiation Budget (SARB) Subsystem (Subsystem 5.0)

CER5.0-P1

CER5.1-P1

CER5.3-P1

CER5.4-P1

Release 3

Version 10

Lisa H. Coleman¹, Tom Caldwell¹

¹Science Applications International Corporation (SAIC)
One Enterprise Parkway, Suite 300
Hampton, VA 23666

NASA Langley Research Center
Radiation Aerosols Branch
Atmospheric Sciences Competency
21 Langley Boulevard
Hampton, VA 23681-2199

SW Delivered to CM: March 2004
Document Date: March 2004

Document Revision Record

The Document Revision Record contains information pertaining to approved document changes. The table lists the date the Software Configuration Change Request (SCCR) was approved, the Release and Version Number, the SCCR number, a short description of the revision, and the revised sections. The document authors are listed on the cover. The Head of the CERES Data Management Team approves or disapproves the requested changes based on recommendations of the Configuration Control Board.

Document Revision Record (1 of 2)

| SCCR Approval Date | Release/Version Number | SCCR Number | Description of Revision | Section(s) Affected |
|--------------------|------------------------|-------------|---|---|
| 06/07/01 | R3V2 | 267 | <ul style="list-style-type: none"> • Corrected previously mistyped filenames for the remove and environment variable scripts. • Corrected mistyped filename for the monthly surface albedo history QC report file. • Corrected destination of the CRS output file. • Updated format to comply with standards. | 1.2.2, 1.4.5, 2.2.2, 2.4.5, 3.2.2, & 3.4.5 1.6 2.6 All |
| 12/07/01 | R3V3 | 315 | <ul style="list-style-type: none"> • Updated Appendix B to include new error messages associated with file I/O on the Zhonghai Jin ocean surface albedo lookup tables ancillary input data file. • Updated Appendix C to include PCFin file lines for the Zhonghai Jin file for PGE CER5.1P1, for both the Full-Hour and the Subset modes. • Updated format to comply with standards. | AppB AppC All |
| 04/09/02 | R3V4 | 337 | <ul style="list-style-type: none"> • Updated the expected output tables to include the PCF, PCFin, and runlog filenames. • Updated format to comply with standards. | Tables 1-6, 2-6, and 3-6 All |
| 12/20/02 | R3V5 | 408 | <ul style="list-style-type: none"> • Removed sections pertaining to PGE CER5.2P1. • Removed sections pertaining to separate instructions for the "Subset Mode". • Added required information for various aerosol input data sets. • Added paragraph describing temporary files produced by PGE CER5.0P1. • Changed email address for responsible parties to a general SARB email alias. • Added new error messages to App. B. • Updated format to comply with standards. | 3.0 2.0 1.3 & 2.3 1.7 Tables 1-2 & 2-1 App.B All |

Document Revision Record (2 of 2)

| SCCR Approval Date | Release/Version Number | SCCR Number | Description of Revision | Section(s) Affected |
|--------------------|------------------------|-------------|--|---|
| 01/27/03 | R3V6 | 419 | <ul style="list-style-type: none"> Added sections pertaining to PGE CER5.3P1. Updated format to comply with standards. | 3.0 All |
| 07/30/03 | R3V7 | 458 | <ul style="list-style-type: none"> Updated timing and memory requirements. Clarified mandatory/optional requirements regarding the daily MATCH aerosol input files. Updated format to comply with standards. | 1.2.4, 2.2.4, & 3.2.4 1.3.2.2 & 2.3.1.6 All |
| 09/11/03 | R3V8 | 468 | <ul style="list-style-type: none"> Added Sections pertaining to new PGE, CER5.4P1. Updated sections that are also applicable to processing Aqua data. Updated format to comply with standards. | 4.0 1.0 & 2.0 All |
| 01/16/04 | R3V9 | 498 | <ul style="list-style-type: none"> Modified references to Daily MATCH filenames to reflect new convention of including "_MODIS" in the name. Corrected name of PGE CER5.4P1 run-script name. Eliminated .met filename for the expected output file HMAVAIL listed in Table 4-6. Updated format to comply with standards. | 1.0, 2.0, Appendix C 4.4.3 4.6 All |
| 03/24/04 | R3V10 | 515 | <ul style="list-style-type: none"> Updated run time information for PGE CER5.4P1. Added new filenames to Table 4.6. Updated ASCII file samples for PGE CER5.0P1 and CER5.4P1 in Appendix C. Updated format to comply with standards. | 4.2.4 4.6 C1, C4 All |

Preface

The Clouds and the Earth's Radiant Energy System (CERES) Data Management System supports the data processing needs of the CERES Science Team research to increase understanding of the Earth's climate and radiant environment. The CERES Data Management Team works with the CERES Science Team to develop the software necessary to support the science algorithms. This software, being developed to operate at the Langley Atmospheric Sciences Data Center (ASDC), produces an extensive set of science data products.

The Data Management System consists of 12 subsystems; each subsystem represents one or more stand-alone executable programs. Each subsystem executes when all of its required input data sets are available and produces one or more archival science products.

This Operator's Manual is written for the data processing operations staff at the Langley ASDC by the Data Management Team responsible for this Subsystem. Each volume describes all Product Generation Executables for a particular subsystem and contains the Runtime Parameters, Production Request Parameters, the required inputs, the steps used to execute, and the expected outputs for each executable included within this Subsystem. In addition, all subsystem error messages and subsequent actions required by the ASDC operations staff are included.

Acknowledgment is given to Joanne Saunders of Science Applications International Corporation (SAIC) for her support in the preparation of this document and to Sandra K. Nolan, SAIC, for structuring the manual guidelines and organization.

TABLE OF CONTENTS

| <u>Section</u> | <u>Page</u> |
|---|-------------|
| Preface | iv |
| Introduction | 1 |
| Document Overview | 1 |
| Subsystem Overview | 2 |
| 1.0 PGEName: CER5.0P1 | 6 |
| 1.1 PGE Details | 6 |
| 1.1.1 Responsible Persons | 6 |
| 1.1.2 E-mail Distribution List | 6 |
| 1.1.3 Parent PGE(s) | 6 |
| 1.1.4 Target PGE(s) | 7 |
| 1.2 Operating Environment | 7 |
| 1.2.1 Runtime Parameters (A List of all Dynamic Parameters needed at Runtime) | 7 |
| 1.2.2 Environment Script Requirements | 7 |
| 1.2.3 Execution Frequency | 8 |
| 1.2.4 Memory/Disk Space/Time Requirements | 8 |
| 1.2.5 Restrictions Imposed in Processing Order | 8 |
| 1.3 Processor Dependencies (Previous PGEs, Ingest Data,..) | 8 |
| 1.3.1 Instantaneous SARB Subsystem Surface Albedo Monthly Pre-Processor | 8 |
| 1.3.1.1 Input Dataset Name (#1): CER_SSF - Hourly Binary SSF | 8 |
| 1.3.1.2 Input Dataset Name (#2): CER_MOA - CERES Hourly Meteorological, Ozone, and Aerosol Ancillary Input Data Set | 9 |
| 1.3.2 Instantaneous SARB Subsystem Daily MODIS Aerosol Interpolation Monthly Pre-Processor | 10 |
| 1.3.2.1 Input Dataset Name (#1): MODIS MOD08 (Terra) / MYD08 (Aqua) | 10 |
| 1.3.2.2 Input Dataset Name (#1): MATCH_TERRA_AOTS_ MODIS - Daily MATCH Climatological Aerosol Files | 10 |
| 1.4 Operating Procedures (Procedure for each part of the processor's elements) | 11 |
| 1.4.1 How to Generate the ASCII File | 11 |
| 1.4.2 How to Generate the PCF File | 11 |
| 1.4.3 How to Execute the Monthly Pre-Processor | 12 |
| 1.4.4 Special Case Considerations | 12 |

TABLE OF CONTENTS

| <u>Section</u> | <u>Page</u> |
|---|-------------|
| 1.4.5 Special Reprocessing Instructions | 12 |
| 1.5 Execution Evaluation | 12 |
| 1.5.1 Exit Codes..... | 12 |
| 1.5.2 Screen Messages..... | 13 |
| 1.5.3 Log and Status Files Results (Include ALL Log Files) | 13 |
| 1.5.4 Solutions to Possible Problems..... | 14 |
| 1.5.5 Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing) | 14 |
| 1.6 Expected Output Dataset(s) | 14 |
| 1.7 Expected Temporary Files/Directories..... | 15 |
| 2.0 PGENAME: CER5.1P1 | 16 |
| 2.1 PGE Details | 16 |
| 2.1.1 Responsible Persons | 16 |
| 2.1.2 E-mail Distribution List | 16 |
| 2.1.3 Parent PGE(s) | 16 |
| 2.1.4 Target PGE(s)..... | 17 |
| 2.2 Operating Environment | 17 |
| 2.2.1 Runtime Parameters (A List of all Dynamic Parameters needed at Runtime) | 17 |
| 2.2.2 Environment Script Requirements | 18 |
| 2.2.3 Execution Frequency | 18 |
| 2.2.4 Memory/Disk Space/Time Requirements..... | 18 |
| 2.2.5 Restrictions Imposed in Processing Order | 19 |
| 2.3 Processor Dependencies (Previous PGEs, Ingest Data,..) | 19 |
| 2.3.1 Instantaneous SARB Subsystem Main-Processor | 19 |
| 2.3.1.1 Input Dataset Name (#1): CER_SSF - Hourly Binary SSF | 19 |
| 2.3.1.2 Input Dataset Name (#2): CER_MOA - CERES Hourly Meteorological, Ozone, and Aerosol Ancillary Input Data Set | 20 |
| 2.3.1.3 Input Dataset Name (#3): Monthly Surface Albedo History File..... | 20 |
| 2.3.1.4 Input Dataset Name (#4): CER_HMAER - Interpolated Daily MODIS Aerosol (IMA) | 21 |
| 2.3.1.5 Input Dataset Name (#1): CER_SSFA - Hourly Binary SSF Supplemental Aerosol Files | 21 |

TABLE OF CONTENTS

| <u>Section</u> | <u>Page</u> | |
|----------------|---|----|
| 2.3.1.6 | Input Dataset Name (#1): MATCH_TERRA_AOTS_ MODIS - Daily MATCH Climatological Aerosol Files | 22 |
| 2.4 | Operating Procedures (Procedure for each part of the processor's elements) | 22 |
| 2.4.1 | How to Generate the ASCII File | 22 |
| 2.4.2 | How to Generate the PCF File | 23 |
| 2.4.3 | How to Execute the Main-Processor. | 23 |
| 2.4.4 | Special Case Considerations. | 23 |
| 2.4.5 | Special Reprocessing Instructions | 23 |
| 2.5 | Execution Evaluation | 24 |
| 2.5.1 | Exit Codes. | 24 |
| 2.5.2 | Screen Messages | 24 |
| 2.5.3 | Log and Status Files Results (Include ALL Log Files) | 24 |
| 2.5.4 | Solutions to Possible Problems. | 25 |
| 2.5.5 | Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing) | 25 |
| 2.6 | Expected Output Dataset(s) | 26 |
| 2.7 | Expected Temporary Files/Directories. | 26 |
| 3.0 | PGENAME: CER5.3P1 | 27 |
| 3.1 | PGE Details | 27 |
| 3.1.1 | Responsible Persons | 27 |
| 3.1.2 | E-mail Distribution List | 27 |
| 3.1.3 | Parent PGE(s) | 27 |
| 3.1.4 | Target PGE(s) | 28 |
| 3.2 | Operating Environment | 28 |
| 3.2.1 | Runtime Parameters (A List of all Dynamic Parameters needed at Runtime) | 28 |
| 3.2.2 | Environment Script Requirements | 28 |
| 3.2.3 | Execution Frequency | 29 |
| 3.2.4 | Memory/Disk Space/Time Requirements. | 29 |
| 3.2.5 | Restrictions Imposed in Processing Order | 29 |
| 3.3 | Processor Dependencies (Previous PGEs, Ingest Data,..) | 30 |
| 3.3.1 | Instantaneous SARB Subsystem Post-Processor | 30 |
| 3.3.1.1 | Input Dataset Name (#1): CER_CRSB - Hourly Binary CRS Files | 30 |

TABLE OF CONTENTS

| <u>Section</u> | <u>Page</u> | |
|----------------|---|----|
| 3.3.1.2 | Input Dataset Name (#1): CER_SSFA - Hourly Binary SSF Supplemental Aerosol Files | 30 |
| 3.4 | Operating Procedures (Procedure for each part of the processor's elements) | 31 |
| 3.4.1 | How to Generate the ASCII File | 31 |
| 3.4.2 | How to Generate the PCF File | 31 |
| 3.4.3 | How to Execute the Post-Processor | 31 |
| 3.4.4 | Special Case Considerations | 32 |
| 3.4.5 | Special Reprocessing Instructions | 32 |
| 3.5 | Execution Evaluation | 32 |
| 3.5.1 | Exit Codes | 32 |
| 3.5.2 | Screen Messages | 33 |
| 3.5.3 | Log and Status Files Results (Include ALL Log Files) | 33 |
| 3.5.4 | Solutions to Possible Problems | 33 |
| 3.5.5 | Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing) | 33 |
| 3.6 | Expected Output Dataset(s) | 34 |
| 3.7 | Expected Temporary Files/Directories | 34 |
| 4.0 | PGENAME: CER5.4P1 | 35 |
| 4.1 | PGE Details | 35 |
| 4.1.1 | Responsible Persons | 35 |
| 4.1.2 | E-mail Distribution List | 35 |
| 4.1.3 | Parent PGE(s) | 35 |
| 4.1.4 | Target PGE(s) | 36 |
| 4.2 | Operating Environment | 36 |
| 4.2.1 | Runtime Parameters (A List of all Dynamic Parameters needed at Runtime) | 36 |
| 4.2.2 | Environment Script Requirements | 36 |
| 4.2.3 | Execution Frequency | 37 |
| 4.2.4 | Memory/Disk Space/Time Requirements | 37 |
| 4.2.5 | Restrictions Imposed in Processing Order | 37 |
| 4.3 | Processor Dependencies (Previous PGEs, Ingest Data,..) | 37 |
| 4.3.1 | Instantaneous SARB Subsystem Post-Processor | 37 |
| 4.3.1.1 | Input Dataset Name (#1): Pair: CER_CRSB - Hourly Binary CRS and CER_CRSB - Hourly CRS | 37 |

TABLE OF CONTENTS

| <u>Section</u> | <u>Page</u> |
|---|-------------|
| 4.3.1.2 Input Dataset Name (#1): CER_HQCR - Hourly QC Report Files | 38 |
| 4.4 Operating Procedures (Procedure for each part of the processor's elements) | 39 |
| 4.4.1 How to Generate the ASCII File | 39 |
| 4.4.2 How to Generate the PCF File | 39 |
| 4.4.3 How to Execute the Monthly QC Post-Processor | 40 |
| 4.4.4 Special Case Considerations | 40 |
| 4.4.5 Special Reprocessing Instructions | 40 |
| 4.5 Execution Evaluation | 40 |
| 4.5.1 Exit Codes | 40 |
| 4.5.2 Screen Messages | 41 |
| 4.5.3 Log and Status Files Results (Include ALL Log Files) | 41 |
| 4.5.4 Solutions to Possible Problems | 42 |
| 4.5.5 Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing) | 42 |
| 4.6 Expected Output Dataset(s) | 42 |
| 4.7 Expected Temporary Files/Directories | 43 |
| References | 44 |
| Appendix A Acronyms and Abbreviations | A-1 |
| Appendix B Error Messages for Subsystem 5.0 | B-1 |
| B.1 Error Messages for PGEs CER5.0P1, and CER5.1P1 | B-2 |
| B.1.1 Error Messages for PGE CER5.1P1 HDF Post-Processor | B-10 |
| Appendix C Sample ASCII (PCFin) File Listings for Subsystem 5.0 | C-1 |
| C.1 Sample ASCII (PCFin) File Listing for CER5.0P1 | C-1 |
| C.2 Sample ASCII (PCFin) File Listing for CER5.1P1 | C-23 |
| C.3 Sample ASCII (PCFin) File Listing for CER5.3P1 | C-25 |
| C.4 Sample ASCII (PCFin) File Listing for CER5.4P1 | C-26 |

LIST OF TABLES

| <u>Table</u> | <u>Page</u> |
|---|-------------|
| Table 0-1. Instantaneous SARB Subsystem Static Ancillary Input Data Files | 4 |
| Table 1-1. Subsystem Software Analysts Contacts | 6 |
| Table 1-2. Parent PGEs for CER5.0P1 | 7 |
| Table 1-3. Target PGEs after CER5.0P1 | 7 |
| Table 1-4. Runtime Parameters for CER5.0P1 | 7 |
| Table 1-5. Exit Codes for CER5.0P1 | 13 |
| Table 1-6. Expected Output File Listing for CER5.0P1 | 14 |
| Table 2-1. Subsystem Software Analysts Contacts | 16 |
| Table 2-2. Parent PGEs for CER5.1P1 | 17 |
| Table 2-3. Target PGEs after CER5.1P1 | 17 |
| Table 2-4. Runtime Parameters for CER5.1P1 | 17 |
| Table 2-5. Exit Codes for CER5.1P1 | 24 |
| Table 2-6. Expected Output File Listing for CER5.1P1 | 26 |
| Table 3-1. Subsystem Software Analysts Contacts | 27 |
| Table 3-2. Parent PGEs for CER5.3P1 | 28 |
| Table 3-3. Target PGEs after CER5.3P1 | 28 |
| Table 3-4. Runtime Parameters for CER5.3P1 | 28 |
| Table 3-5. Exit Codes for CER5.3P1 | 32 |
| Table 3-6. Expected Output File Listing for CER5.3P1 | 34 |
| Table 4-1. Subsystem Software Analysts Contacts | 35 |
| Table 4-2. Parent PGEs for CER5.4P1 | 36 |
| Table 4-3. Target PGEs after CER5.4P1 | 36 |
| Table 4-4. Runtime Parameters for CER5.4P1 | 36 |
| Table 4-5. Exit Codes for CER5.4P1 | 41 |
| Table 4-6. Expected Output File Listing for CER5.4P1 | 42 |
| Table 4-7. Expected Temporary File Listing for CER5.4P1 | 43 |
| Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 | B-2 |
| Table B-2. PGE CER5.1P1 HDF Post-Processor Error Messages | B-10 |

Introduction

The Clouds and the Earth's Radiant Energy System (CERES) is a key component of the Earth Observing System (EOS). The CERES instrument provides radiometric measurements of the Earth's atmosphere from three broadband channels: a shortwave channel (0.3 - 5 μm), a total channel (0.3 - 200 μm), and an infrared window channel (8 - 12 μm). The CERES instruments are improved models of the Earth Radiation Budget Experiment (ERBE) scanner instruments, which operated from 1984 through 1990 on the National Aeronautics and Space Administration's (NASA) Earth Radiation Budget Satellite (ERBS) and on the National Oceanic and Atmospheric Administration's (NOAA) operational weather satellites NOAA-9 and NOAA-10. The strategy of flying instruments on Sun-synchronous, polar orbiting satellites, such as NOAA-9 and NOAA-10, simultaneously with instruments on satellites that have precessing orbits in lower inclinations, such as ERBS, was successfully developed in ERBE to reduce time sampling errors. CERES continues that strategy by flying instruments on the polar orbiting EOS platforms simultaneously with an instrument on the Tropical Rainfall Measuring Mission (TRMM) spacecraft, which has an orbital inclination of 35 degrees. In addition, to reduce the uncertainty in data interpretation and to improve the consistency between the cloud parameters and the radiation fields, CERES includes cloud imager data and other atmospheric parameters. The CERES instruments fly on the TRMM spacecraft, on the EOS-AM platforms and on the EOS-PM platforms. The TRMM satellite carries one CERES instrument while the EOS satellites carry two CERES instruments, one operating in a fixed azimuth scanning mode and the other operating in a rotating azimuth scanning mode.

Document Overview

This document, [CERES Instantaneous Surface and Atmospheric Radiation Budget \(SARB\) Subsystem 5.0 Release 3 Operator's Manual](#), is part of the CERES Subsystem 5.0 Release 3 delivery package provided to the Atmospheric Sciences Data Center (ASDC). It provides a description of the CERES Instantaneous SARB Subsystem Release 3 Product Generation Executives (PGE) and explains the procedures for executing the software. A description of acronyms and abbreviations is provided in [Appendix A](#), comprehensive lists of messages that can be generated during the execution of PGEs CER5.0P1, CER5.1P1, CER5.3P1, and CER5.4P1 are contained [Appendix B](#), and Sample ASCII (PCFin) File Listings are provided in [Appendix C](#).

This document is organized as follows:

[Introduction](#)

[Document Overview](#)

[Subsystem Overview](#)

[1.0 PGName: CER5.0P1](#)

[2.0 PGName: CER5.1P1](#)

[3.0 PGName: CER5.3P1](#)

[4.0 PGName: CER5.4P1](#)

[References](#)

[Appendix A](#) - Acronyms and Abbreviations

[Appendix B](#) - Error Messages for Subsystem 5.0

[Appendix C](#) - Sample ASCII (PCFin) File Listing(s) for Subsystem 5.0

Subsystem Overview

The Instantaneous SARB Subsystem software computes longwave, shortwave, and window channel vertical flux profiles that span from the Earth's surface to the Top-of-Atmosphere. These profiles are archived on the Clouds and Radiative Swath (CRS) product. Each CRS contains data from one hour from one instrument, and directly corresponds to a Single Satellite CERES Footprint TOA and Surface Fluxes, Clouds (SSF) for the same hour.

~~Three PGEs are currently required for the Instantaneous SARB Subsystem. PGE CER5.1P1 is the Main-Processor, which is run on an hourly basis. Prior to processing CER 5.1P1, two pre-processors must be executed. PGE CER5.2P1 executes on a daily basis and is the first of two pre-processors to execute. After CER 5.2P1 has executed for each day of the month, PGE CER5.0P1 executes and processes the daily output from CER 5.2P1 for the month. After CER5.0P1 has processed, CER5.1P1 processes for each hour of available data for the month.~~

~~It is planned that in some future delivery of the subsystem, the functions performed by PGE CER5.2P1 will be combined with another existing PGE, leaving only PGEs CER 5.0P1 and CER 5.1P1. Because of this future plan, the numbering scheme of the Instantaneous SARB PGEs currently does not correspond to the order in which they are executed.~~

With the December 2002 delivery of the Instantaneous SARB Subsystem software, PGE CER5.2P1 is no longer necessary.

Four PGEs are currently required for the Instantaneous SARB Subsystem. PGE CER5.1P1 is the Main-Processor, which is run on an hourly basis. Prior to processing CER 5.1P1, the Instantaneous SARB Surface Albedo Monthly Pre-Processor and the Daily MODIS Aerosol Interpolation Monthly Pre-Processor must be executed using the hourly SSF Binary (SSFB) output produced for a whole month as input. After CER5.0P1 has processed, CER5.1P1 processes for each hour of available data for the month. PGE CER5.3P1 is the Instantaneous SARB Subsystem HDF-Only Post-Processor, which is only executed on a rare, as-need basis only. CER5.3P1 generates the HDF formatted CRS product from the CRSB, using the identical software executed by CER5.1P1 on a routine basis. A summary of the month's QC reports are generated by the Instantaneous SARB Subsystem Monthly Quality Control Summary Post-Processor, PGE CER5.4P1, along with verification that the CRSB and CRS files produced by CER5.1P1 contain the same information.

CER5.2P1: CERES Instantaneous SARB Subsystem Surface Albedo Daily Pre-Processor

~~PGE CER5.2P1, the Instantaneous SARB Subsystem Surface Albedo Daily Pre-Processor, subsets Field of View (FOV) data pertaining to surface albedo from the hourly SSF Binary (SSFB) files produced by PGE CER4.5-6P1 for a 24-hour period. These data are stored in a nonarchival daily file. Once all of the available SSFB files for the month have been subset, the resulting daily files are input to PGE CER5.0P1.~~

Beginning with the December 2002 delivery, PGE CER5.2P1 is no longer necessary.

CER5.0P1: CERES Instantaneous SARB Subsystem Surface Albedo Monthly Pre-Processor and the Daily MODIS Aerosol Interpolation Monthly Pre-Processor

PGE CER5.0P1 consists of the Instantaneous SARB Subsystem Surface Albedo Monthly Pre-Processor and the Daily MODIS Aerosol Interpolation Monthly Pre-Processor. The Surface Albedo Monthly Pre-Processor produces the Monthly Surface Albedo History (SAH) Map, and the Daily MODIS Aerosol Interpolation Monthly Pre-Processor produces the Interpolated Daily MODIS Aerosol (IMA) product.

The Surface Albedo Monthly Pre-Processor merges selected SSFB parameters produced by PGE CER4.5-6P1 into a single monthly file containing a 10-minute map of surface albedo observations from clear-sky over land FOVs. Two versions of this map are produced by PGE CER5.0P1. The first version contains only data derived from the input SSFB files, thus leaving some areas with no data. The second file fills in those areas for which no SSF data were available with data from a default data file. It is this second nonarchival file that is used as input by PGE CER5.1P1 for each hour of the month. An ASCII Quality Control (QC) report is also produced.

The Daily MODIS Aerosol Interpolation Monthly Pre-Processor reads all of the available daily MODIS MOD08 (or MYD08 for Aqua) files for the month and interpolates between days to fill in missing data. The resulting interpolated daily data are stored in one monthly file.

CER5.1P1 - Instantaneous SARB Subsystem Main-Processor and HDF Post-Processor

PGE CER5.1P1 consists of a Main-Processor and an Hierarchical Data Format (HDF) Post-Processor. The primary outputs from the Main-Processor are the CRS Binary (CRSB) and the CRS Validation Binary (CRSVB), along with an ASCII QC report. The CRSB serves as input for CERES Subsystem 6.0, and as input to the Instantaneous SARB Subsystem HDF Post-Processor. The HDF Post-Processor reads the CRSB product and converts the data to an HDF format, thus generating the CRS archival product for distribution outside of NASA-Langley.

~~The Main Processor can process in two modes – Full Hour and Subset. The Full Hour Mode processes every FOV available from the SSF input product. The Subset Mode processes only those FOVs contained on the SSF that correspond to the CERES Validation Regions. The same software is used for both modes, hence there is only one PGE. The Production Strategy environment variable indicates in which mode the PGE will process. A Production Strategy environment variable definition beginning with “Subset” indicates that the PGE is to process in Subset Mode. If the Production Strategy environment variable definition begins with anything else, then the subsystem will process in Full Hour Mode.~~

CER5.3P1 - Instantaneous SARB Subsystem HDF Post-Processor

PGE CER5.3P1 consists of the Hierarchical Data Format (HDF) Post-Processor. This processor will only be used in instances where reprocessing of the CRS files from existing CRSB files is necessary.

CER5.4P1 - Instantaneous SARB Subsystem Quality Control Post-Processor

PGE CER5.4P1 consists of three executables. With its initial delivery, the Instantaneous SARB Subsystem Monthly QC Summary Post-Processor collects information from a month of the Instantaneous SARB Subsystem Main-Processor QC reports and produces the HMAVAIL report, the HMQCR and HMRV reports, and plots of QC statistics. The Instantaneous SARB Subsystem HDF Verification Post-Processor compares up to five CRS files from the data month against the parent CRSB files to verify that the HDF conversion process maintained the integrity of the data.

In addition to the input files listed in the sections that follow, various static ancillary input data files are also required for the Instantaneous SARB PGEs to process. These files are listed in [Table 0-1](#).

Table 0-1. Instantaneous SARB Subsystem Static Ancillary Input Data Files (1 of 2)

| File Name | Description |
|--|--|
| SS5_DrivTab_19990315 | Precomputed derivative table values |
| SigTab_Instantaneous_20020913 | Precomputed sigma table values |
| IGBP_Ver3.0 | Static, global vegetation/scene-type map index |
| CollinsAer_1998TRMM_Ver3.0 MATCH_TERRA_AOTS_MODIS.CurrDay MATCH_TERRA_AOTS_CLIM_MODIS.mm | <p>Aerosol climatology based on assimilated climatology provided by Bill Collins</p> <p><i>NOTE: The CollinsAer_1998TRMM_Ver3.0 is a single file containing data for the January-June 1998 time frame. The MATCH_TERRA_AOTS_MODIS files are daily files that are delivered to the ASDC by the SARB Working Group as they become available. For TRMM data sets for which MATCH data are not available, the ASCII filename generators for PGEs CER5.0P1 and CER5.1P1 intentionally generate a filename for a file that does not exist: CollAer_NonExistFile. The MATCH_TERRA_AOTS_MODIS daily files are used with both Terra and Aqua data sets. At this point in time, no distinction between Terra and Aqua is made in these filenames, i.e., all filenames contain the string "TERRA." For non-TRMM months for which daily MATCH files have not been delivered to Langley, the monthly MATCH-based climatological files, MATCH_TERRA_AOTS_CLIM_MODIS.yy, are provided.</i></p> |

Table 0-1. Instantaneous SARB Subsystem Static Ancillary Input Data Files (2 of 2)

| File Name | Description |
|--------------------------------|---|
| SS5_HuCoxMunk_OcnAlb | Coefficients for the Hu-Cox-Munk surface albedo over ocean technique |
| SS5_GFDLAerClim_200006 | Geophysical Fluid Dynamics Laboratory (GFDL) Aerosol climatology for time frames not covered by the Collins assimilated aerosol climatology |
| flsa0602b_lut.2s.coef_20020913 | Surface albedo-related coefficients required by the Fu-Liou Radiative Transfer Model |
| flsa3_lut.4s.coef_19991215 | Surface albedo-related coefficients required by the Fu-Liou Radiative Transfer Model |
| flsa4_lut.2s.coef_19991215 | Surface albedo-related coefficients required by the Fu-Liou Radiative Transfer Model |
| SS5_ZJin_OcnAlb_20031101 | Zhonghai Jin ocean spectral albedo lookup table |
| ControlFile | ASCII file of control parameters used by the SARB software |

1.0 PGEName: CER5.0P1

CER5.0P1 - CERES Instantaneous Surface and Atmospheric Radiation Budget (SARB) Subsystem Surface Albedo Monthly Pre-Processor and Daily MODIS Aerosol Interpolation Monthly Pre-Processor

1.1 PGE Details

1.1.1 Responsible Persons

The Subsystem software analysts responsible for the development of PGE CER5.0P1 are listed in [Table 1-1](#).

Table 1-1. Subsystem Software Analysts Contacts

| Item | Primary | Alternate |
|--------------|-----------------------------|-----------------------------|
| Contact Name | Lisa Coleman | Tom Caldwell |
| Organization | SAIC | SAIC |
| Address | 1 Enterprise Parkway | 1 Enterprise Parkway |
| City | Hampton | Hampton |
| State | VA 23666 | VA 23666 |
| Phone | (757) 827-4654 | (757) 827-4667 |
| Fax | (757) 825-4968 | (757) 825-4968 |
| LaRC e-mail | ceresdmt+sarb@larc.nasa.gov | ceresdmt+sarb@larc.nasa.gov |

1.1.2 E-mail Distribution List

An E-mail distribution list can be obtained from the primary contact listed in [Table 1-1](#).

1.1.3 Parent PGE(s)

The PGEs listed in [Table 1-2](#) must successfully execute for the specified data set prior to executing PGE CER5.0P1.

Table 1-2. Parent PGEs for CER5.0P1

| PGENAME | Description |
|--------------|---|
| CER4.5-6.1P1 | Inversion to Instantaneous TOA Fluxes and Surface Fluxes |
| CER12.1P1 | Regrid Meteorological, Ozone, and Aerosol (MOA) Subsystem |

1.1.4 Target PGE(s)

Table 1-3 lists the PGEs dependent on output from PGE CER5.0P1.

Table 1-3. Target PGEs after CER5.0P1

| PGENAME | Description |
|----------|-----------------------------------|
| CER5.1P1 | Instantaneous SARB Main Processor |

1.2 Operating Environment

1.2.1 Runtime Parameters (A List of all Dynamic Parameters needed at Runtime)

The runtime parameters listed in Table 1-4 are required for the instructions given in the remainder of Section 1.0 to process PGE CER5.0P1.

Table 1-4. Runtime Parameters for CER5.0P1

| Parameter | Description | Data Type | Valid Values |
|-----------|---|--|-------------------|
| DataMonth | Data Month--yyyymm, where yyyy = four-digit year mm = two-digit month | l(6), where year = (l4.4) month = (l2.2) | >1996 01 .. 12 |
| PCFinfile | Name of input file to the PCF generator | ASCII | See Section 1.4 |
| PCFname | Name of PCF file | ASCII | See Section 1.4 |

1.2.2 Environment Script Requirements

Refer to the CERES internal paper (Reference 1) for a detailed description of the CERES environment parameters required by the CERES PGEs.

PGE CER5.0P1 references the environment variable script, **ENV5.1P1-env.csh**, which contains the following parameters:

- SS5 - Sampling Strategy for Instantaneous SARB: see Production Request
- PS5 - Production Strategy for Instantaneous SARB: see Production Request
- CC5 - Configuration Code for Instantaneous SARB: see CM Database
- SW5 - SCCR number for current version of Instantaneous SARB software: see CM Database
- DATA5 - SCCR number for current version of Instantaneous SARB input data: see CM Database

1.2.3 Execution Frequency

CER5.0P1 executes once per data month, whenever all input data for all available days of that month are available. CER5.0P1 executes a maximum total of one time per month.

1.2.4 Memory/Disk Space/Time Requirements

- Memory: 40832 K
- Disk Space: 212925.37 MB
- Total Run Time: 5 hours 1 minute

1.2.5 Restrictions Imposed in Processing Order

A month may be processed at any time, providing that all the available SSFB files for that month have been produced. For Terra and Aqua data sets, all available daily MODIS MOD08 files for that month are necessary. Should there be multiple months that are ready for processing through PGE CER5.0P1, there are no restrictions imposed on the ordering of the months.

1.3 Processor Dependencies (Previous PGEs, Ingest Data,..)

This section describes the nonancillary input files that are required for PGE CER5.0P1 processing. See [Section 1.2](#) for variable information contained in the listed filenames.

1.3.1 Instantaneous SARB Subsystem Surface Albedo Monthly Pre-Processor

1.3.1.1 Input Dataset Name (#1): CER_SSFB - Hourly Binary SSF

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):

**\$CERESHOME/inversion/data/out_comp/data/
CER_SSFB_\$\$\$4_5_\$PS4_5_\$CC4_5.\$DataMonth\$dd\$hh**

where \$dd= 01 .. 31
\$hh = 00 .. 23

1. Mandatory/optional: **These files are mandatory if available.**
 2. Time Related Dependency: **Input files must be for same month to be processed.**
 3. Waiting Period: **As soon as all SSFB files for the month are available.**
- b. Source of Information (Source is PGE name or Ingest Source):
PGE CER4.5-6P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
 - d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
 - e. Typical file size (MB): **189.3 per hourly file**

1.3.1.2 Input Dataset Name (#2): CER_MOA - CERES Hourly Meteorological, Ozone, and Aerosol Ancillary Input Data Set

- a. Directory Location/Inputs Expected (Including .met files, Header files, etc.)
\$CERESHOME/sarb/data/out_comp/data/regridmoa

CER_MOA_\$\$SS12_\$\$PS12_\$\$CC12.\$DataMonth\$dd\$hh

where \$dd= 01 .. 31
\$hh = 00, 06, 12, 18

and

CER_MOA_\$\$SS12_\$\$PS12_\$\$CC12.\$NextDataMonth"0100"

where \$NextDataMonth is the data month immediately following \$DataMonth.

1. Mandatory/optional: **These files are mandatory.**
 2. Time Related Dependency: **Input files must be for same data month to be processed.**
 3. Waiting Period: **As soon as all MOA files for the month are available.**
- b. Source of Information (Source PGE name or Ingest Source):
PGE CER12.1P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
 - d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
 - e. Typical file size (MB): **13.31**

1.3.2 Instantaneous SARB Subsystem Daily MODIS Aerosol Interpolation Monthly Pre-Processor

1.3.2.1 Input Dataset Name (#1): MODIS MOD08 (Terra) / MYD08 (Aqua)

- a. Directory Location/Inputs Expected (Including .met files, Header files, etc.)

**\$CERESHOME/clouds/data/input/MODIS/yyyyddd/
MOD08_D3.platformyyyyddd.collectionnumber.productiondate.hdf (for Terra)**

**\$CERESHOME/clouds/data/input/MODIS/yyyyddd/
MYD08_D3.platformyyyyddd.collectionnumber.productiondate.hdf (for Aqua)**

where

yyyy = the four-digit data year

ddd = the three-digit Julian Day

platform = satellite, where "A" = Terra (AM1) and "P" = Aqua (PM1)

collectionnumber = version number

productiondate = processing date of granule

1. Mandatory/optional: **These files are mandatory if available for Terra and Aqua data sets. These files are not available for TRMM data sets.**
 2. Time Related Dependency: **Input files must be for same data month to be processed. If multiple versions of the data are received for a data month, the latest version should be used unless directed otherwise.**
 3. Waiting Period: **NONE. If there are missing days that are not expected to be obtained in a reasonable time frame (determined on a case-by-case basis), PGE CER5.0P1 can process successfully.**
- b. Source of Information (Source PGE name or Ingest Source):
Externally obtained from Goddard DAAC
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **452**

1.3.2.2 Input Dataset Name (#1): MATCH_TERRA_AOTS_MODIS - Daily MATCH Climatological Aerosol Files

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):

**\$CERESHOME/sarb/data/ancillary/static/sarb/match_aot/
match_aots_\$DataMonth/MATCH_TERRA_AOTS_MODIS.\$DataDay**

1. Mandatory/optional: **This file is mandatory for Terra and Aqua data sets if available. IF NOT AVAILABLE, CONTACT THE RESPONSIBLE PERSONS LISTED IN TABLE 1-1 BEFORE ATTEMPTING TO RUN WITHOUT THE FILES. The files may be available, just not delivered to the operational environment. This file is not available for TRMM data sets. At this point in time, no distinction between Terra and Aqua is made in these filenames, i.e., all filenames contain the string "TERRA."**
 2. Time Related Dependency: **Input file must be for same month to be processed.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source is PGE name or Ingest Source):
Provided by responsible persons listed in Table 1-1, using the CM delivery process.
 - c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
 - d. File Disposition after successful execution: **Retain.**
 - e. Typical file size (MB): **0.38**

1.4 Operating Procedures (Procedure for each part of the processor's elements)

The Surface Albedo Monthly Pre-Processor production script, run_press5_monthly, references a Process Control File (PCF) which contains the correct file names and paths for the PGE. This PCF is created by first executing an ASCII file generator, ascii_gen_5.0P1, and then executing the PCF generator, pcfgen_5.0P1.

1.4.1 How to Generate the ASCII File

The ASCII file name generator requires one command-line argument, \$DataMonth, as defined in Table 1-4.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> ascii_gen_5.0P1 $DataMonth
```

The following file will be generated in \$CERESHOME/sarb/rcf/PCFgen/sarb/:

```
CER5.0P1_PCFin_$$$5_$PS5_$CC5.$DataMonth
```

1.4.2 How to Generate the PCF File

The PCF generator, pcfgen_5.0P1, is executed using the newly created ASCII input file name as a command-line argument. See Section 1.2 for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> pcfgen_5.0P1 CER5.0P1_PCFin_$$$5_$PS5_$CC5.$DataMonth
```

The following PCF will be generated in `$CERESHOME/sarb/rcf/pcf/sarb/`:

```
CER5.0P1_PCF_$$$5_$PS5_$CC5.$DataMonth
```

1.4.3 How to Execute the Monthly Pre-Processor

Execute the production script by typing the script name, `run_press5_monthly`, followed by a string which designates the name of the required PCF file. See [Section 1.2](#) for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> run_press5 CER5.0P1_PCF_$$$5_$PS5_$CC5.$DataMonth
```

1.4.4 Special Case Considerations

N/A, at this time. Special case considerations will be handled on a case-by-case basis, where special instructions will accompany each special request.

1.4.5 Special Reprocessing Instructions

All output files are opened with Status = NEW in CER5.0P1 software. These files must be removed before reprocessing.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> rm_script_5.0P1 CER5.0P1_PCF_$$$5_$PS5_$CC5.$DataMonth
```

The script, `rm_script_5.0P1`, removes all files generated by the ASCII file name and PCF generators, along with files generated during the execution of `run_press5`.

1.5 Execution Evaluation

1.5.1 Exit Codes

The PGE CER5.0P1 terminates using the CERES-defined EXIT CODES for the Langley TRMM Information System (LaTIS) as seen in [Table 1-5](#). Other exit codes may appear from the program,

which may be the result of a system, compiler, or Toolkit-related error. In these cases, contact the responsible person (see [Table 1-1](#)) for assistance.

Table 1-5. Exit Codes for CER5.0P1

| Exit Code | Definition | Action |
|-----------|-------------|---|
| 0 | Normal Exit | Proceed normally |
| 203 | Failure | Check the Log Files and take the appropriate action (see Appendix B) |

1.5.2 Screen Messages

When running the production script, `run_press5_monthly`, the system message, "No match," may be written to the screen. This message occurs when the scripts try to remove an old output file that does not exist. This does not signify a problem.

1.5.3 Log and Status Files Results (Include ALL Log Files)

The Log files contain all error and/or status messages produced by the PGE. The files are located in directory: `$CERESHOME/sarb/data/runlogs/sarb`. See [Section 1.2](#) for information on variable fields within the file names.

1. Report Log File: `CER5.0P1_LogReport_$$$5_$PS5_$CC5.$DataMonth`

The Report Log File contains the Instantaneous SARB-related messages. These messages may be strictly informative (Error Type = Notice or Warning) or may indicate a fatal condition that results in premature PGE termination (Error Type = Error). A comprehensive list of these messages, that can be generated during the execution of the PGE, is given in [Table B-1](#).

2. Status Log File: `CER5.0P1_LogStatus_$$$5_$PS5_$CC5.$DataMonth`

The Status Log File contains all messages created by the Toolkit. If an abnormal exit is encountered by the PGE, this file should be examined for '_F_', fatal message type. The responsible person should be advised.

3. User Log File: `CER5.0P1_LogUser_$$$5_$PS5_$CC5.$DataMonth`

The User Log File is not used at this time, but exists to satisfy the Toolkit requirements. Typically the `_U_` and `_N_` (User information and Notice) will be written to User Log File and Status Log File.

1.5.4 Solutions to Possible Problems

As mentioned in [Section 1.4.5](#), all output files are opened with Status = NEW in the PGE CER5.0P1 software. These files must be removed before reprocessing.

Should a review of the error message files discussed in [Section 1.5.3](#) indicate that PGE CER5.0P1 failed reading a header for a specific day of the month, check that that day completed successfully. If that day did not complete successfully and the output files removed, sufficient header information was not written to the file, and CER5.0P1 will fail.

1.5.5 Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing)

a. Subsystem Termination

If the Monthly Pre-Processor exit code indicates failure, halt processing of the Main-Processor for the month.

b. Target PGE Termination

If any of the **.met** files are missing from the expected output, this condition must terminate all further Target PGE processing.

1.6 Expected Output Dataset(s)

The expected output datasets for each instance of the PGE are listed in [Table 1-6](#). This PGE is expected to process 1 time, maximum, in a 31-day month.

Table 1-6. Expected Output File Listing for CER5.0P1 (1 of 2)

| File Name ^a /Directory | m/o | File Size (MB) | Freq/PGE | Target PGE | Destination ^b |
|--|-----|----------------|----------|------------|--------------------------|
| CER5.0P1_PCF_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/rcf/pcf/sarb) | m | x | 1/month | N/A | Archive, rm |
| CER5.0P1_PCFin_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/rcf/PCFgen/sarb) | m | x | 1/month | N/A | Archive, rm |
| CER5.0P1_LogReport_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/month | N/A | Archive, rm |
| CER5.0P1_LogStatus_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/month | N/A | Archive, rm |
| CER5.0P1_LogUser_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/month | N/A | Archive, rm |
| CER_HMSAL_\$\$\$5_\$PS5_\$CC5.\$YYYYMM (.met) @(\$CERESHOME/sarb/data/ancillary/dynamic/sarb) | m | 4.66 | 1/month | NONE | Archive, rm |

Table 1-6. Expected Output File Listing for CER5.0P1 (2 of 2)

| File Name ^a /Directory | m/o | File Size (MB) | Freq/PGE | Target PGE | Destination ^b |
|--|-----|----------------|----------|------------|--------------------------|
| CER_HMPSAL_\$\$\$5_\$PS5_\$CC5.\$YYYYMM(.met) @(\$CERESHOME/sarb/data/ancillary/dynamic/sarb) | m | 4.66 | 1/month | CER5.1P1 | Archive |
| CER_MQCSA_\$\$\$5_\$PS5_\$CC5.\$YYYYMM (.met) @(\$CERESHOME/sarb/data/out_comp/qa_reports/sarb) | m | 0.02 | 1/month | NONE | Archive, rm |
| CER_HMAER_\$\$\$5_\$PS5_\$CC5.\$YYYYMM(.met) @(\$CERESHOME/sarb/data/ancillary/dynamic/sarb) | m | 61.30 | 1/month | CER5.1P1 | Archive |

a. See [Section 1.2](#) for information on variable data values

If “(.met)” is written next to an expected output filename, then the metadata file **must** exist with the identical filename and .met extension

- b. DB - File content is to be entered into the LaTIS Database
 /QA - File is to be written to the DAAC designated /QA directory
 rm - remove
 m - mandatory output
 o - optional output
 EOD - End of data month

1.7 Expected Temporary Files/Directories.

During execution, up to 31 temporary files are generated by PGE5.0P1. These files are named CER_HDSAL_\$\$\$5_\$PS5_\$CC5.\$DataDay, and are produced by the Surface Albedo Monthly Pre-Processor. During processing, these files are placed in the temporary directory \$CERESHOME/sarb/data/scr/CER5.0P1_\$\$\$5_\$PS5_\$CC5.\$YYYYMM. The run script run_press5_sfcalb removes the files and the directory at the end of processing.

2.0 PGEName: CER5.1P1

CER5.1P1 - CERES Instantaneous Surface and Atmospheric Radiation Budget (SARB) Subsystem Main-Processor and HDF Post-Processor

2.1 PGE Details

2.1.1 Responsible Persons

The Subsystem software analysts responsible for the development of PGE CER5.1P1 are listed in [Table 2-1](#).

Table 2-1. Subsystem Software Analysts Contacts

| Item | Primary | Alternate |
|--------------|-----------------------------|-----------------------------|
| Contact Name | Lisa Coleman | Tom Caldwell |
| Organization | SAIC | SAIC |
| Address | 1 Enterprise Parkway | 1 Enterprise Parkway |
| City | Hampton | Hampton |
| State | VA 23666 | VA 23666 |
| Phone | (757) 827-4654 | (757) 827-4667 |
| Fax | (757) 825-4968 | (757) 825-4968 |
| LaRC e-mail | ceresdmt+sarb@larc.nasa.gov | ceresdmt+sarb@larc.nasa.gov |

2.1.2 E-mail Distribution List

An E-mail distribution list can be obtained from the primary contact listed in [Table 2-1](#).

2.1.3 Parent PGE(s)

The PGEs listed in [Table 2-2](#) must successfully execute for the specified data set prior to executing PGE CER5.1P1.

Table 2-2. Parent PGEs for CER5.1P1

| PGEName | Description |
|----------------|---|
| CER4.5-6.1P1 | Inversion to Instantaneous TOA Fluxes and Surface Fluxes |
| CER5.0P1 | Instantaneous SARB Subsystem Surface Albedo Monthly Pre-Processor |
| CER12.1P1 | Regrid Meteorological, Ozone, and Aerosol (MOA) Subsystem |

2.1.4 Target PGE(s)

Table 2-3 lists the PGEs dependent on output from PGE CER5.1P1.

Table 2-3. Target PGEs after CER5.1P1

| PGEName | Description |
|----------------|--|
| CER5.3P1 | Instantaneous SARB Subsystem HDF Post-Processor (on as-needed basis only) |
| CER6.1P1 | Grid Single Satellite Fluxes and Clouds and Compute Spatial Averages Processor |

2.2 Operating Environment

2.2.1 Runtime Parameters (A List of all Dynamic Parameters needed at Runtime)

The runtime parameters listed in Table 2-4 are required for the instructions given in the remainder of Section 2.0 to process PGE CER5.1P1.

Table 2-4. Runtime Parameters for CER5.1P1 (1 of 2)

| Parameter | Description | Data Type | Valid Values |
|------------------|---|--|---|
| DataDate | Data Date--yyyymmddhh, where yyyy = four-digit year mm = two-digit month dd = two-digit day hh = two-digit hour | l(10), where year = (l4.4) month = (l2.2) day = (l2.2) hour = (l2.2) | >1996 01 .. 12 01 .. 31 00 .. 23 |
| DataDay | Data Day--yyyymmdd, where yyyy = four-digit year mm = two-digit month dd = two-digit day | l(8), where year = (l4.4) month = (l2.2) day = (l2.2) | >1996 01 .. 12 01 .. 31 |

Table 2-4. Runtime Parameters for CER5.1P1 (2 of 2)

| Parameter | Description | Data Type | Valid Values |
|-----------|---|--|---------------------------------|
| DataMonth | Data Month--yyyymm, where yyyy = four-digit year mm = two-digit month | l(6), where year = (l4.4) month = (l2.2) | >1996 01 .. 12 |
| PCFinfile | Name of input file to the PCF generator | ASCII | See Section 2.4 |
| PCFname | Name of PCF file | ASCII | See Section 2.4 |

2.2.2 Environment Script Requirements

Refer to the CERES internal paper ([Reference 1](#)) for a detailed description of the CERES environment parameters required by the CERES PGEs.

PGE CER5.1P1 references the environment variable script, **ENV5.1P1-env.csh**, which contains the following parameters:

- SS5 - Sampling Strategy for Instantaneous SARB: see Production Request
- SS12 - Sampling Strategy for Regrid MOA: see Production Request
- SS4_5 - Sampling Strategy for Inversion: see Production Request
- PS5 - Production Strategy for Instantaneous SARB: see Production Request
- PS12 - Production Strategy for Regrid MOA: see Production Request
- PS4_5 - Production Strategy for Inversion: see Production Request
- CC5 - Configuration Code for Instantaneous SARB: see CM Database
- CC12 - Configuration Code for Regrid MOA: see CM Database
- CC4_5 - Configuration Code for Inversion: see CM Database
- SW5 - SCCR number for current version of Instantaneous SARB software: see CM Database
- DATA5 - SCCR number for current version of Instantaneous SARB input data: see CM Database

2.2.3 Execution Frequency

CER5.1P1 executes once per data hour, whenever all input data for an hour are available. CER5.1P1 executes a maximum total of 744 times per month.

2.2.4 Memory/Disk Space/Time Requirements

Since the number of FOVs actually processed will vary, the time each run takes will vary. Other factors will cause a variation in timing results between runs also. While reasonably representative of the execution times of PGE CER5.1P1, the numbers listed below are based on one data hour only.

| | Subset Mode | Full-Hour Mode |
|----------------|--------------|----------------|
| Memory: | 61088 K | 115296 K |
| Disk Space: | 4540 MB | 1364 MB |
| Total Run Time | 5:30 minutes | 2:43:11 hr |

2.2.5 Restrictions Imposed in Processing Order

The Instantaneous SARB Surface Albedo Monthly Pre-Processor, PGE CER5.0P1, must be processed for the month before any executions of PGE CER5.1P1 can be processed. There are no restrictions in processing order within the month for PGE CER5.1P1.

2.3 Processor Dependencies (Previous PGEs, Ingest Data,..)

This section describes the nonancillary input files that are required for PGE CER5.1P1 processing. See [Section 2.2](#) for variable information contained in the listed filenames.

2.3.1 Instantaneous SARB Subsystem Main-Processor

2.3.1.1 Input Dataset Name (#1): CER_SSFb - Hourly Binary SSF

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):
**\$CERESHOME/inversion/data/out_comp/data/
CER_SSFb_\$\$\$4_5_\$PS4_5_\$CC4_5.\$DataDate**
 1. Mandatory/optional: **This file(s) is mandatory for all CERES instruments.**
 2. Time Related Dependency: **Input file must be for same hour to be processed.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source is PGE name or Ingest Source):
PGE CER4.5-6P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **189.3**

2.3.1.2 Input Dataset Name (#2): CER_MOA - CERES Hourly Meteorological, Ozone, and Aerosol Ancillary Input Data Set

- a. Directory Location/Inputs Expected (Including .met files, Header files, etc.)

**\$CERESHOME/sarb/data/out_comp/data/regridmoa/
CER_MOA_\$\$\$12_\$PS12_\$CC12.YYYYMMDDHH,**

Where YYYYMMDDHH = \$DataDate when HH = 00, 06, 12, or 18

or

**CER_MOA_\$\$\$12_\$PS12_\$CC12.H1
CER_MOA_\$\$\$12_\$PS12_\$CC12.H2**

Where **H1** and **H2** are the ECMWF or DAS data dates (YYYYMMDDhh, where hh=00, 06, 12, 18) that are the closest to DataDate **YYYYMMDDHH**. **H1** must be 0-6 hours earlier than **YYYYMMDDHH**, and **H2** must be 0-6 hours later than **YYYYMMDDHH**. For values of YYYYMMDDHH where HH is greater than 18, the value of H2 will be for hour 00 of the next day.

1. Mandatory/optional: **This file(s) is mandatory for all CERES instruments.**
 2. Time Related Dependency: **Input file must correspond to the same hour to be processed--see Part (a) above.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source PGE name or Ingest Source):
- PGE CER12.1P1**
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
 - d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
 - e. Typical file size (MB): **13.31**

2.3.1.3 Input Dataset Name (#3): Monthly Surface Albedo History File

- a. Directory Location/Inputs Expected

**\$CERESHOME/sarb/data/ancillary/dynamic/sarb/
CER_HMPSAL_\$\$\$5_\$PS5_\$CC5.\$DataMonth**

1. Mandatory/optional: **This file(s) is mandatory for all CERES instruments.**
2. Time Related Dependency: **Input file must be for the same month as data being processed.**
3. Waiting Period: **N/A - As soon as available.**

- b. Source of Information (Source PGE name or Ingest Source):

PGE CER 5.0P1

- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Needed for all hours within the same month.**
- e. Typical file size (MB): **4.66 MB**

2.3.1.4 Input Dataset Name (#4): CER_HMAER - Interpolated Daily MODIS Aerosol (IMA)

- a. Directory Location/Inputs Expected

**\$CERESHOME/sarb/data/ancillary/dynamic/sarb/
CER_HMAER_\$\$\$5_\$PS5_\$CC5.\$DataMonth**

1. Mandatory/optional: **This file is mandatory for Terra and Aqua data sets. This file is not available for TRMM data sets.**
1. Time Related Dependency: **Input file must be for the same month and instrument as data being processed.**
2. Waiting Period: **As soon as available.**

- b. Source of Information (Source PGE name or Ingest Source):

PGE CER 5.0P1

- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Needed for all hours within the same month.**
- e. Typical file size (MB): **61.30**

2.3.1.5 Input Dataset Name (#1): CER_SSFA - Hourly Binary SSF Supplemental Aerosol Files

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):

**\$CERESHOME/inversion/data/out_comp/data/
CER_SSFA_\$\$\$4_5_\$PS4_5_\$CC4_5.\$DataDate**

1. Mandatory/optional: **This file is mandatory for Terra and Aqua data sets. This file is not available for TRMM data sets.**
2. Time Related Dependency: **Input file must be for same hour to be processed.**
3. Waiting Period: **As soon as available.**

- b. Source of Information (Source is PGE name or Ingest Source):
PGE CER4.5-6P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **24.83**

2.3.1.6 Input Dataset Name (#1): MATCH_TERRA_AOTS_MODIS - Daily MATCH Climatological Aerosol Files

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):
**\$CERESHOME/sarb/data/ancillary/static/sarb/match_aot/
match_aots_\$DataMonth/MATCH_TERRA_AOTS_MODIS.\$DataDay**
 1. Mandatory/optional: **This file is mandatory for Terra and Aqua data sets if available. IF NOT AVAILABLE, CONTACT THE RESPONSIBLE PERSONS LISTED IN TABLE 1-1 BEFORE ATTEMPTING TO RUN WITHOUT THE FILES. The files may be available, just not delivered to the operational environment. This file is not available for TRMM data sets. At this point in time, no distinction between Terra and Aqua is made in these filenames, i.e., all filenames contain the string "TERRA."**
 2. Time Related Dependency: **Input file must be for same day to be processed.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source is PGE name or Ingest Source):
Provided by responsible persons listed in [Table 2-1](#), using the CM delivery process.
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Retain.**
- e. Typical file size (MB): **0.38**

2.4 Operating Procedures (Procedure for each part of the processor's elements)

The Main-Processor production script, runsarb, references a Process Control File (PCF) which contains the correct file names and paths for the PGE. This PCF is created by first executing an ASCII file generator, ascii_gen_5.1P1, and then executing the PCF generator, pcfgen_5.1P1.

2.4.1 How to Generate the ASCII File

The ASCII file name generator requires one command-line argument, \$DataDate, as defined in [Table 2-4](#).

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb  
> ascii_gen_5.1P1 $DataDate
```

The following file will be generated in `$CERESHOME/sarb/rcf/PCFgen/sarb/`:

```
CER5.1P1_PCFin_$$$5_$PS5_$CC5.$DataDate
```

2.4.2 How to Generate the PCF File

The PCF generator, `pcfgen_5.1P1`, is executed using the newly created ASCII input file name as a command-line argument. See [Section 2.2](#) for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb/  
> pcfgen_5.1P1 CER5.1P1_PCFin_$$$5_$PS5_$CC5.$DataDate
```

The following PCF will be generated in `$CERESHOME/sarb/rcf/pcf/sarb/`:

```
CER5.1P1_PCF_$$$5_$PS5_$CC5.$DataDate
```

2.4.3 How to Execute the Main-Processor

Execute the production script by typing the script name, `runsarb`, followed by a string which designates the name of the required PCF file. See [Section 2.2](#) for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb  
> runsarb CER5.1P1_PCF_$$$5_$PS5_$CC5.$DataDate
```

2.4.4 Special Case Considerations

N/A, at this time. Special case considerations will be handled on a case-by-case basis, where special instructions will accompany each special request.

2.4.5 Special Reprocessing Instructions

All output files are opened with Status = NEW in CER5.1P1 software. These files must be removed before reprocessing. The script in the following instructions removes all files generated by the ascii file generator, the PCF generator, and the execution of the Subsystem software.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> rm_script_5.1P1 CER5.1P1_PCF_$$SS5_$$PS5_$$CC5.$DataDate
```

The script, `rm_script_5.1P1`, removes all files generated by the ASCII file name and PCF generators, along with files generated during the execution of `runsarb`.

2.5 Execution Evaluation

2.5.1 Exit Codes

The PGE `CER5.1P1` terminates using the CERES-defined EXIT CODES for LaTIS as seen in [Table 2-5](#). Other exit codes may appear from the program, which may be the result of a system, compiler, or Toolkit-related error. In these cases, contact the responsible person (see [Table 2-1](#)) for assistance.

Table 2-5. Exit Codes for CER5.1P1

| Exit Code | Definition | Action |
|-----------|-------------|---|
| 0 | Normal Exit | Proceed normally |
| 203 | Failure | Check the Log Files and take the appropriate action (see Appendix B) |

2.5.2 Screen Messages

When running the production script, `runsarb`, the system message, "No match," may be written to the screen. This message occurs when the scripts try to remove an old output file that does not exist. This does not signify a problem.

2.5.3 Log and Status Files Results (Include ALL Log Files)

The Log files contain all error and/or status messages produced by the PGE. The files are located in directory: `$CERESHOME/sarb/data/runlogs/sarb`. See [Section 2.2](#) for information on variable fields within the file names.

1. Report Log File: CER5.1P1_LogReport_\$\$\$5_\$PS5_\$CC5.\$DataDate

The Report Log File contains the Instantaneous SARB-related messages. These messages may be strictly informative (Error Type = Notice or Warning) or may indicate a fatal condition that results in premature PGE termination (Error Type = Error). A comprehensive list of these messages, that can be generated during the execution of the PGE, is given in [Table B-1](#).

2. Status Log File: CER5.1P1_LogStatus_\$\$\$5_\$PS5_\$CC5.\$DataDate

The Status Log File contains all messages created by the Toolkit. If an abnormal exit is encountered by the PGE, this file should be examined for '_F_', fatal message type. The responsible person should be advised.

3. User Log File: CER5.1P1_LogUser_\$\$\$5_\$PS5_\$CC5.\$DataDate

The User Log File is not used at this time, but exists to satisfy the Toolkit requirements. Typically the _U_ and _N_ (User information and Notice) will be written to User Log File and Status Log File.

2.5.4 Solutions to Possible Problems

As mentioned in [Section 2.4.5](#), all output files are opened with Status = NEW in the Instantaneous SARB Subsystem Main-Processor software. These files must be removed before reprocessing.

2.5.5 Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing)

a. Subsystem Termination

If one hour fails, continue processing the next hour.

b. Target PGE Termination

If any of the **.met** files are missing from the expected output, this condition must terminate all further Target PGE processing.

2.6 Expected Output Dataset(s)

The expected output datasets for each instance of the PGE are listed in [Table 2-6](#). This PGE is expected to process 744 times, maximum, in a 31-day month.

Table 2-6. Expected Output File Listing for CER5.1P1

| File Name ^a /Directory | m/o | File Size (MB) | Freq/PGE | Target PGE | Destination ^b |
|---|-----|----------------|----------|------------------------------------|--------------------------|
| CER5.1P1_PCF_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH @(\$CERESHOME/sarb/rcf/pcf/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.1P1_PCFin_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH @(\$CERESHOME/sarb/rcf/PCFgen/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.1P1_LogReport_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.1P1_LogStatus_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.1P1_LogUser_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH (.met) @(\$CERESHOME/sarb/data/out_comp/data/sarb) | m | 225.0 | 1/hr | CER6.1P1, CER5.4P1, CER5.3P1 | Archive |
| CER_CRSVB_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH (.met) @(\$CERESHOME/sarb/data/out_comp/data/sarb) | m | 1.64 | 1/hr | NONE | Archive, rm |
| CER_HQCR_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH (.met) @(\$CERESHOME/sarb/data/out_comp/qa_reports/sarb) | m | .09 | 1/hr | CER5.4P1 | Archive, do not remove |
| CER_CRS_\$\$\$5_\$PS5_\$CC5.\$YYYYMMDDHH (.met) @(\$CERESHOME/sarb/data/out_comp/data/sarb) | m | 225.0 | 1/hr | CER5.4P1 | Archive, do not remove |

a. See [Section 2.2](#) for information on variable data values

If “(.met)” is written next to an expected output filename, then the metadata file **must** exist with the identical filename and .met extension

b. VD - Validation Days in 1998 (Jan./5, 12, 19, 26/, Apr./6, 13, 20, 27/, July/6, 13, 20, 27/, Oct./5, 12, 19, 26/)

/QA - File is to be written to the DAAC designated /QA directory

DB - File content is to be entered into the LaTIS Database

rm - remove

m - mandatory output

o - optional output

EOD - End of data month

2.7 Expected Temporary Files/Directories.

There are no temporary files or directories generated by PGE5.1P1.

3.0 PGEName: CER5.3P1

CER5.3P1 - CERES Instantaneous Surface and Atmospheric Radiation Budget (SARB) Subsystem HDF Post-Processor

3.1 PGE Details

3.1.1 Responsible Persons

The Subsystem software analysts responsible for the development of PGE CER5.3P1 are listed in [Table 3-1](#).

Table 3-1. Subsystem Software Analysts Contacts

| Item | Primary | Alternate |
|--------------|-----------------------------|-----------------------------|
| Contact Name | Lisa Coleman | Tom Caldwell |
| Organization | SAIC | SAIC |
| Address | 1 Enterprise Parkway | 1 Enterprise Parkway |
| City | Hampton | Hampton |
| State | VA 23666 | VA 23666 |
| Phone | (757) 827-4654 | (757) 827-4667 |
| Fax | (757) 825-4968 | (757) 825-4968 |
| LaRC e-mail | ceresdmt+sarb@larc.nasa.gov | ceresdmt+sarb@larc.nasa.gov |

3.1.2 E-mail Distribution List

An E-mail distribution list can be obtained from the primary contact listed in [Table 3-1](#).

3.1.3 Parent PGE(s)

The PGEs listed in [Table 3-2](#) must successfully execute for the specified data set prior to executing PGE CER5.3P1.

Table 3-2. Parent PGEs for CER5.3P1

| PGEName | Description |
|--------------|--|
| CER4.5-6.1P1 | Inversion to Instantaneous TOA Fluxes and Surface Fluxes |
| CER5.1P1 | Instantaneous SARB Subsystem Main Processor |

3.1.4 Target PGE(s)

Table 3-3 lists the PGEs dependent on output from PGE CER5.3P1.

Table 3-3. Target PGEs after CER5.3P1

| PGEName | Description |
|---------|------------------------------------|
| N/A | No CERES PGE uses the CRS as input |

3.2 Operating Environment

3.2.1 Runtime Parameters (A List of all Dynamic Parameters needed at Runtime)

The runtime parameters listed in Table 3-4 are required for the instructions given in the remainder of Section 3.0 to process PGE CER5.3P1.

Table 3-4. Runtime Parameters for CER5.3P1

| Parameter | Description | Data Type | Valid Values |
|-----------|---|--|---|
| DataDate | Data Date--yyyymmddhh, where yyyy = four-digit year mm = two-digit month dd = two-digit day hh = two-digit hour | I(10), where year = (I4.4) month = (I2.2) day = (I2.2) hour = (I2.2) | >1996 01 .. 12 01 .. 31 00 .. 23 |
| PCFinfile | Name of input file to the PCF generator | ASCII | See Section 3.4 |
| PCFname | Name of PCF file | ASCII | See Section 3.4 |

3.2.2 Environment Script Requirements

Refer to the CERES internal paper (Reference 1) for a detailed description of the CERES environment parameters required by the CERES PGEs.

PGE CER5.1P1 references the environment variable script, **ENV5.3P1-env.csh**, which contains the following parameters:

- SS5 - Sampling Strategy for Instantaneous SARB (CRSB): see Production Request
- SS5_3 - Sampling Strategy for Instantaneous SARB (CRS): see Production Request
- SS4_5 - Sampling Strategy for Inversion (SSFA): see Production Request
- PS5 - Production Strategy for Instantaneous SARB (CRSB): see Production Request
- PS5_3 - Production Strategy for Instantaneous SARB (CRS): see Production Request
- PS4_5 - Production Strategy for Inversion (SSFA): see Production Request
- CC5 - Configuration Code for Instantaneous SARB (CRSB): see CM Database
- CC5_3 - Configuration Code for Instantaneous SARB (CRS): see CM Database
- CC4_5 - Configuration Code for Inversion (SSFA): see CM Database
- SW5_3 - SCCR number for current version of Instantaneous SARB software: see CM Database
- DATA5_3 - SCCR number for current version of Instantaneous SARB input data: see CM Database

3.2.3 Execution Frequency

CER5.3P1 executes once per data hour, whenever all input data for an hour are available. CER5.3P1 executes a maximum total of 744 times per month. CER5.3P1 is not routinely processed. A production request from the cognizant CERES personnel will indicate when to process CER5.3P1.

3.2.4 Memory/Disk Space/Time Requirements

Since the number of FOVs actually processed will vary, the time each run takes will vary. Other factors will cause a variation in timing results between runs also. While reasonably representative of the execution times of PGE CER5.3P1, the numbers listed below are based on one data hour only.

| | |
|----------------|--------------|
| Memory: | 157928 K |
| Disk Space: | 458 MB |
| Total Run Time | 2:19 minutes |

3.2.5 Restrictions Imposed in Processing Order

There are no restrictions in processing order within the month for PGE CER5.3P1.

3.3 Processor Dependencies (Previous PGEs, Ingest Data,..)

This section describes the nonancillary input files that are required for PGE CER5.3P1 processing. See [Section 3.2](#) for variable information contained in the listed filenames.

3.3.1 Instantaneous SARB Subsystem Post-Processor

3.3.1.1 Input Dataset Name (#1): CER_CRSB - Hourly Binary CRS Files

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):
**\$CERESHOME/sarb/data/out_comp/data/sarb/
 CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$DataDate**
 1. Mandatory/optional: **This file(s) is mandatory for all CERES instruments.**
 2. Time Related Dependency: **Input file must be for same hour to be processed.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source is PGE name or Ingest Source):
PGE CER5.1P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **225**

3.3.1.2 Input Dataset Name (#1): CER_SSFA - Hourly Binary SSF Supplemental Aerosol Files

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):
**\$CERESHOME/inversion/data/out_comp/data/
 CER_SSFA_\$\$\$4_5_\$PS4_5_\$CC4_5.\$DataDate**
 1. Mandatory/optional: **This file is mandatory for Terra and Aqua data sets. This file is not available for TRMM data sets.**
 2. Time Related Dependency: **Input file must be for same hour to be processed.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source is PGE name or Ingest Source):
PGE CER4.5-6P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**

- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **24.83**

3.4 Operating Procedures (Procedure for each part of the processor's elements)

The Post-Processor production script, runsarb_post, references a Process Control File (PCF) which contains the correct file names and paths for the PGE. This PCF is created by first executing an ASCII file generator, ascii_gen_5.3P1, and then executing the PCF generator, pcfgen_5.3P1.

3.4.1 How to Generate the ASCII File

The ASCII file name generator requires one command-line argument, \$DataDate, as defined in [Table 3-4](#).

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> ascii_gen_5.3P1 $DataDate
```

The following file will be generated in \$CERESHOME/sarb/rcf/PCFgen/sarb/:

CER5.3P1_PCFin_\$\$\$5_3_\$PS5_3_\$CC5_3.\$DataDate

3.4.2 How to Generate the PCF File

The PCF generator, pcfgen_5.3P1, is executed using the newly created ASCII input file name as a command-line argument. See [Section 3.2](#) for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb/
> pcfgen_5.3P1 CER5.3P1_PCFin_$$$5_3_$PS5_3_$CC5_3.$DataDate
```

The following PCF will be generated in \$CERESHOME/sarb/rcf/pcf/sarb/:

CER5.3P1_PCF_\$\$\$5_3_\$PS5_3_\$CC5_3.\$DataDate

3.4.3 How to Execute the Post-Processor

Execute the production script by typing the script name, runsarb_post, followed by a string which designates the name of the required PCF file. See [Section 3.2](#) for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> runsarb_post CER5.3P1_PCF_$$$5_3_$PS5_3_$CC5_3.$DataDate
```

3.4.4 Special Case Considerations

N/A, at this time. Special case considerations will be handled on a case-by-case basis, where special instructions will accompany each special request.

3.4.5 Special Reprocessing Instructions

All output files are opened with Status = NEW in CER5.3P1 software. These files must be removed before reprocessing. The script in the following instructions removes all files generated by the ascii file generator, the PCF generator, and the execution of the Subsystem software.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> rm_script_5.3P1 CER5.3P1_PCF_$$$5_3_$PS5_3_$CC5_3.$DataDate
```

The script, rm_script_5.3P1, removes all files generated by the ASCII file name and PCF generators, along with files generated during the execution of runsarb_post.

3.5 Execution Evaluation

3.5.1 Exit Codes

The PGE CER5.3P1 terminates using the CERES-defined EXIT CODES for LaTIS as seen in [Table 3-5](#). Other exit codes may appear from the program, which may be the result of a system, compiler, or Toolkit-related error. In these cases, contact the responsible person (see [Table 3-1](#)) for assistance.

Table 3-5. Exit Codes for CER5.3P1

| Exit Code | Definition | Action |
|-----------|-------------|---|
| 0 | Normal Exit | Proceed normally |
| 203 | Failure | Check the Log Files and take the appropriate action (see Appendix B) |

3.5.2 Screen Messages

When running the production script, runsarb, the system message, "No match," may be written to the screen. This message occurs when the scripts try to remove an old output file that does not exist. This does not signify a problem.

3.5.3 Log and Status Files Results (Include ALL Log Files)

The Log files contain all error and/or status messages produced by the PGE. The files are located in directory: `$CERESHOME/sarb/data/runlogs/sarb`. See [Section 3.2](#) for information on variable fields within the file names.

1. Report Log File: `CER5.3P1_LogReport_$$$5_3_$PS5_3_$CC5_3.$DataDate`

The Report Log File contains the Instantaneous SARB-related messages. These messages may be strictly informative (Error Type = Notice or Warning) or may indicate a fatal condition that results in premature PGE termination (Error Type = Error). A comprehensive list of these messages, that can be generated during the execution of the PGE, is given in [Table B-1](#).

2. Status Log File: `CER5.3P1_LogStatus_$$$5_3_$PS5_3_$CC5_3.$DataDate`

The Status Log File contains all messages created by the Toolkit. If an abnormal exit is encountered by the PGE, this file should be examined for '_F_', fatal message type. The responsible person should be advised.

3. User Log File: `CER5.3P1_LogUser_$$$5_3_$PS5_3_$CC5_3.$DataDate`

The User Log File is not used at this time, but exists to satisfy the Toolkit requirements. Typically the `_U_` and `_N_` (User information and Notice) will be written to User Log File and Status Log File.

3.5.4 Solutions to Possible Problems

As mentioned in [Section 3.4.5](#), all output files are opened with Status = NEW in the Instantaneous SARB Subsystem Main-Processor software. These files must be removed before reprocessing.

3.5.5 Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing)

a. Subsystem Termination

If one hour fails, continue processing the next hour.

b. Target PGE Termination

If any of the **.met** files are missing from the expected output, this condition must terminate all further Target PGE processing.

3.6 Expected Output Dataset(s)

The expected output datasets for each instance of the PGE are listed in [Table 3-6](#). This PGE is expected to process 744 times, maximum, in a 31-day month.

Table 3-6. Expected Output File Listing for CER5.3P1

| File Name ^a /Directory | m/o | File Size (MB) | Freq/PGE | Target PGE | Destination ^b |
|---|-----|----------------|----------|------------|--------------------------|
| CER5.3P1_PCF_\$\$S5_3_\$\$PS5_3_\$\$CC5_3.\$YYYYMMDDHH @(\$CERESHOME/sarb/rcf/pcf/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.3P1_PCFin_\$\$S5_3_\$\$PS5_3_\$\$CC5_3.\$YYYYMMDDHH @(\$CERESHOME/sarb/rcf/PCFgen/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.3P1_LogReport_\$\$S5_3_\$\$PS5_3_\$\$CC5_3.\$YYYYMMDDHH @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.3P1_LogStatus_\$\$S5_3_\$\$PS5_3_\$\$CC5_3.\$YYYYMMDDHH @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER5.3P1_LogUser_\$\$S5_3_\$\$PS5_3_\$\$CC5_3.\$YYYYMMDDHH @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/hr | N/A | Archive, rm |
| CER_CRS_\$\$S5_3_\$\$PS5_3_\$\$CC5_3.\$YYYYMMDDHH (.met) @(\$CERESHOME/sarb/data/out_comp/data/sarb) | m | 225.0 | 1/hr | NONE | Archive, rm |

a. See [Section 3.2](#) for information on variable data values

If “(.met)” is written next to an expected output filename, then the metadata file **must** exist with the identical filename and .met extension

b. VD - Validation Days in 1998 (Jan./5, 12, 19, 26/, Apr./6, 13, 20, 27/, July/6, 13, 20, 27/, Oct./5, 12, 19, 26/)

/QA - File is to be written to the DAAC designated /QA directory

DB - File content is to be entered into the LaTIS Database

rm - remove

m - mandatory output

o - optional output

EOD - End of data month

3.7 Expected Temporary Files/Directories.

There are no temporary files or directories generated by PGE5.3P1.

4.0 PGEName: CER5.4P1

CER5.4P1 - CERES Instantaneous Surface and Atmospheric Radiation Budget (SARB) Subsystem Monthly Quality Control (QC) Summary Post-Processor

4.1 PGE Details

4.1.1 Responsible Persons

The Subsystem software analysts responsible for the development of PGE CER5.4P1 are listed in [Table 4-1](#).

Table 4-1. Subsystem Software Analysts Contacts

| Item | Primary | Alternate |
|--------------|-----------------------------|-----------------------------|
| Contact Name | Lisa Coleman | Tom Caldwell |
| Organization | SAIC | SAIC |
| Address | 1 Enterprise Parkway | 1 Enterprise Parkway |
| City | Hampton | Hampton |
| State | VA 23666 | VA 23666 |
| Phone | (757) 827-4654 | (757) 827-4667 |
| Fax | (757) 825-4968 | (757) 825-4968 |
| LaRC e-mail | ceresdmt+sarb@larc.nasa.gov | ceresdmt+sarb@larc.nasa.gov |

4.1.2 E-mail Distribution List

An E-mail distribution list can be obtained from the primary contact listed in [Table 4-1](#).

4.1.3 Parent PGE(s)

The PGEs listed in [Table 4-2](#) must successfully execute for the specified data set prior to executing PGE CER5.4P1.

Table 4-2. Parent PGEs for CER5.4P1

| PGEName | Description |
|----------|---|
| CER5.1P1 | Instantaneous SARB Subsystem Main-Processor |

4.1.4 Target PGE(s)

Table 4-3 lists the PGEs dependent on output from PGE CER5.4P1.

Table 4-3. Target PGEs after CER5.4P1

| PGEName | Description |
|---------|---|
| N/A | No CERES PGE uses output from CER5.4P1 as input |

4.2 Operating Environment

4.2.1 Runtime Parameters (A List of all Dynamic Parameters needed at Runtime)

The runtime parameters listed in Table 4-4 are required for the instructions given in the remainder of Section 4.0 to process PGE CER5.4P1.

Table 4-4. Runtime Parameters for CER5.4P1

| Parameter | Description | Data Type | Valid Values |
|-----------|---|--|-------------------|
| DataMonth | Data Month--yyyymm, where yyyy = four-digit year mm = two-digit month | l(6), where year = (l4.4) month = (l2.2) | >1996 01 .. 12 |
| PCFinfile | Name of input file to the PCF generator | ASCII | See Section 4.4 |
| PCFname | Name of PCF file | ASCII | See Section 4.4 |

4.2.2 Environment Script Requirements

Refer to the CERES internal paper (Reference 1) for a detailed description of the CERES environment parameters required by the CERES PGEs.

PGE CER5.4P1 references the environment variable script, **ENV5.4P1-env.csh**, which contains the following parameters:

- SS5 - Sampling Strategy for Instantaneous SARB (CRSB): see Production Request
- PS5 - Production Strategy for Instantaneous SARB (CRSB): see Production Request
- CC5 - Configuration Code for Instantaneous SARB (CRSB): see CM Database
- SW5 - SCCR number for current version of Instantaneous SARB software: see CM Database
- DATA5 - SCCR number for current version of Instantaneous SARB input data: see CM Database

4.2.3 Execution Frequency

CER5.4P1 executes once per data month, whenever all hourly input data for the month are available.

4.2.4 Memory/Disk Space/Time Requirements

Since the number of hours actually processed per month will vary, the time each run takes will vary. Other factors will cause a variation in timing results between runs also. While reasonably representative of the execution times of PGE CER5.4P1, the numbers listed below are based on one data month only.

| | |
|----------------|--------------|
| Memory: | 22392 K |
| Disk Space: | 1353 MB |
| Total Run Time | 7:48 minutes |

4.2.5 Restrictions Imposed in Processing Order

There are no restrictions in processing order within the month for PGE CER5.4P1.

4.3 Processor Dependencies (Previous PGEs, Ingest Data,..)

This section describes the nonancillary input files that are required for PGE CER5.4P1 processing. See [Section 4.2](#) for variable information contained in the listed filenames.

4.3.1 Instantaneous SARB Subsystem Post-Processor

4.3.1.1 Input Dataset Name (#1): Pair: CER_CRSB - Hourly Binary CRS and CER_CRSB - Hourly CRS

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):
\$CERESHOME/sarb/data/out_comp/data/sarb/

Pair1:

CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$DataMonth"0106"
CER_CRS_\$\$\$5_\$PS5_\$CC5.\$DataMonth"0106"

Pair2:

CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$DataMonth"0809"
CER_CRS_\$\$\$5_\$PS5_\$CC5.\$DataMonth"0809"

Pair3:

CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$DataMonth"1415"
CER_CRS_\$\$\$5_\$PS5_\$CC5.\$DataMonth"1415"

Pair4:

CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$DataMonth"2118"
CER_CRS_\$\$\$5_\$PS5_\$CC5.\$DataMonth"2118"

Pair5:

CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$DataMonth"3023"
CER_CRS_\$\$\$5_\$PS5_\$CC5.\$DataMonth"3023"

1. Mandatory/optional: **The availability of at least one complete pair of files is mandatory. A set of routine hours throughout a data month were chosen at the time of delivery so that a decision regarding which hours to verify is not required each month. Multiple hours were chosen because for any month any hour could not be available, and with five routine hours the odds of having at least one pair available are greatly increased.**
 2. Time Related Dependency: **Input files must be for same month to be processed.**
 3. Waiting Period: **As soon as available.**
- b. Source of Information (Source is PGE name or Ingest Source):
- PGE CER5.1P1**
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **CRSB - 225, CRS - 105**

4.3.1.2 Input Dataset Name (#1): CER_HQCR - Hourly QC Report Files

- a. Directory Location/Inputs Expected (Including .met files, header files, etc.):
- \$\$CERESHOME/sarb/data/out_comp/qa_reports/sarb/
CER_HQCR_\$\$\$5_\$PS5_\$CC5.\$DataMonth\$dd\$hh**

where **\$dd= 01 .. 31**
\$hh = 00 .. 23

1. Mandatory/optional: **These files are mandatory if available.**
 2. Time Related Dependency: **Input files must be for same month to be processed.**
 3. Waiting Period: **As soon as all HQCR files for the month are available.**
- b. Source of Information (Source is PGE name or Ingest Source):
PGE CER5.1P1
- c. Alternate Data Set, if one exists (maximum waiting period): **NONE**
- d. File Disposition after successful execution: **Remove if all other dependent PGEs have processed.**
- e. Typical file size (MB): **0.1**

4.4 Operating Procedures (Procedure for each part of the processor's elements)

The QC Summary Post-Processor production script, run_postmqc, references a Process Control File (PCF) which contains the correct file names and paths for the PGE. This PCF is created by first executing an ASCII file generator, ascii_gen_5.4P1, and then executing the PCF generator, pcfgen_5.4P1.

4.4.1 How to Generate the ASCII File

The ASCII file name generator requires one command-line argument, \$DataMonth, as defined in [Table 4-4](#).

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb
> ascii_gen_5.4P1 $DataMonth
```

The following file will be generated in \$CERESHOME/sarb/rcf/PCFgen/sarb/:

CER5.4P1_PCFin_\$\$\$5_\$PS5_\$CC5.\$DataMonth

4.4.2 How to Generate the PCF File

The PCF generator, pcfgen_5.4P1, is executed using the newly created ASCII input file name as a command-line argument. See [Section 4.2](#) for variable information.

At the command-line (denoted by ">") type:

```
> cd $CERESHOME/sarb/bin/sarb/  
> pcfgen_5.4P1 CER5.4P1_PCFin_$$$5_$PS5_$CC5.$DataMonth
```

The following PCF will be generated in `$CERESHOME/sarb/rcf/pcf/sarb/`:

```
CER5.4P1_PCF_$$$5_$PS5_$CC3.$DataMonth
```

4.4.3 How to Execute the Monthly QC Post-Processor

Execute the production script by typing the script name, `run_postss5`, followed by a string which designates the name of the required PCF file. See [Section 4.2](#) for variable information.

At the command-line (denoted by “>”) type:

```
> cd $CERESHOME/sarb/bin/sarb  
> run_postss5 CER5.4P1_PCF_$$$5_$PS5_$CC5.$DataMonth
```

4.4.4 Special Case Considerations

N/A, at this time. Special case considerations will be handled on a case-by-case basis, where special instructions will accompany each special request.

4.4.5 Special Reprocessing Instructions

All output files are opened with Status = NEW in CER5.4P1 software. These files must be removed before reprocessing. The script in the following instructions removes all files generated by the ascii file generator, the PCF generator, and the execution of the Subsystem software.

At the command-line (denoted by “>”) type:

```
> cd $CERESHOME/sarb/bin/sarb  
> rm_script_5.4P1 CER5.4P1_PCF_$$$5_$PS5_$CC5.$DataMonth
```

The script, `rm_script_5.4P1`, removes all files generated by the ASCII file name and PCF generators, along with files generated during the execution of `runsarb_post`.

4.5 Execution Evaluation

4.5.1 Exit Codes

The PGE CER5.4P1 terminates using the CERES-defined EXIT CODES for LaTIS as seen in [Table 4-5](#). Other exit codes may appear from the program, which may be the result of a system, compiler, or Toolkit-related error. In these cases, contact the responsible person (see [Table 4-1](#)) for assistance.

Table 4-5. Exit Codes for CER5.4P1

| Exit Code | Definition | Action |
|-----------|-------------|---|
| 0 | Normal Exit | Proceed normally |
| 203 | Failure | Check the Log Files and take the appropriate action (see Appendix B) |

4.5.2 Screen Messages

When running the production script, runsarb, the system message, “No match,” may be written to the screen. This message occurs when the scripts try to remove an old output file that does not exist. This does not signify a problem.

4.5.3 Log and Status Files Results (Include ALL Log Files)

The Log files contain all error and/or status messages produced by the PGE. The files are located in directory: `$CERESHOME/sarb/data/runlogs/sarb`. See [Section 4.2](#) for information on variable fields within the file names.

1. Report Log File: CER5.4P1_LogReport_\$\$\$5_\$PS5_\$CC5.\$DataMonth

The Report Log File contains the Instantaneous SARB-related messages. These messages may be strictly informative (Error Type = Notice or Warning) or may indicate a fatal condition that results in premature PGE termination (Error Type = Error). A comprehensive list of these messages, that can be generated during the execution of the PGE, is given in [Table B-1](#).

2. Status Log File: CER5.4P1_LogStatus_\$\$\$5_\$PS5_\$CC5.\$DataMonth

The Status Log File contains all messages created by the Toolkit. If an abnormal exit is encountered by the PGE, this file should be examined for ‘_F_’, fatal message type. The responsible person should be advised.

3. User Log File: CER5.4P1_LogUser_\$\$\$5_\$PS5_\$CC5.\$DataMonth

The User Log File is not used at this time, but exists to satisfy the Toolkit requirements. Typically the `_U_` and `_N_` (User information and Notice) will be written to User Log File and Status Log File.

4.5.4 Solutions to Possible Problems

As mentioned in [Section 4.4.5](#), all output files are opened with Status = NEW in the Instantaneous SARB Subsystem Main-Processor software. These files must be removed before reprocessing.

4.5.5 Conditions for Subsystem and/or Target PGE(s) Terminal Failure (Halt all further processing)

a. Subsystem Termination

If one month fails, continue processing the next month.

b. Target PGE Termination

N/A

4.6 Expected Output Dataset(s)

The expected output datasets for each instance of the PGE are listed in [Table 4-6](#). This PGE is expected to process once per data month.

Table 4-6. Expected Output File Listing for CER5.4P1

| File Name ^a /Directory | m/o | File Size (KB) | Freq/PGE | Target PGE | Destination ^b |
|---|-----|----------------|----------|------------|--------------------------|
| CER5.4P1_PCF_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/rcf/pcf/sarb) | m | x | 1/mn | N/A | Archive, rm |
| CER5.4P1_PCFin_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/rcf/PCFgen/sarb) | m | x | 1/mn | N/A | Archive, rm |
| CER5.4P1_LogReport_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/mn | N/A | Archive, rm |
| CER5.4P1_LogStatus_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/mn | N/A | Archive, rm |
| CER5.4P1_LogUser_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/runlogs/sarb) | m | x | 1/mn | N/A | Archive, rm |
| CER_HMAVAIL_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/out_comp/qa_reports/sarb) | m | 2.9 | 1/mn | NONE | Archive, rm |
| CER_HMRV_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/out_comp/qa_reports/sarb) | m | 2.9 | 1/mn | NONE | Archive, rm |
| CER_HMQCR_\$\$\$5_\$PS5_\$CC5.\$YYYYMM @(\$CERESHOME/sarb/data/out_comp/qa_reports/sarb) | m | 267 | 1/mn | NONE | Archive, rm |
| CER_HQCP_\$\$\$5_\$PS5_\$CC5.\$YYYYMM.tar.gz @(\$CERESHOME/sarb/data/out_comp/qa_reports/sarb) | m | 18 (MB) | 1/mn | NONE | Archive, rm |

a. See [Section 4.2](#) for information on variable data values

If “(.met)” is written next to an expected output filename, then the metadata file **must** exist with the identical filename and .met extension

- b. VD - Validation Days in 1998 (Jan./5, 12, 19, 26/, Apr./6, 13, 20, 27/, July/6, 13, 20, 27/, Oct./5, 12, 19, 26/)
- /QA - File is to be written to the DAAC designated /QA directory
 - DB - File content is to be entered into the LaTIS Database
 - rm - remove
 - m - mandatory output
 - o - optional output
 - EOD - End of data month

4.7 Expected Temporary Files/Directories.

The expected temporary files for each instance of the PGE are listed in [Table 4-7](#). This PGE is expected to process once per data month.

Table 4-7. Expected Temporary File Listing for CER5.4P1

| Day:Hour | Temporary CRSB files @(\$CERESHOME/sarb/data/scr) | Temporary HCOMP files @(\$CERESHOME/sarb/data/scr) |
|----------|--|---|
| 01:06 | CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"0106" | CER_HCOMP_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"0106" |
| 08:09 | CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"0809" | CER_HCOMP_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"0809" |
| 14:15 | CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"1415" | CER_HCOMP_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"1415" |
| 21:18 | CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"2118" | CER_HCOMP_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"2118" |
| 30:23 | CER_CRSB_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"3023" | CER_HCOMP_\$\$\$5_\$PS5_\$CC5.\$YYYYMM"3023" |

References

1. CERES Internal Paper, "Proposal for Semi-Automated Sampling Strategy, Production Strategy, and Configuration Code Implementation." URL:http://asd-www.larc.nasa.gov/ceres/intern_doc/

Appendix A

Acronyms and Abbreviations

| | |
|--------|---|
| ASDC | Atmospheric Sciences Data Center |
| CERES | Clouds and the Earth's Radiant Energy System |
| CRS | Cloud Radiative Swath |
| CRSB | Cloud Radiative Swath Binary |
| DAAC | Distributed Active Archive Center |
| EOS | Earth Observing System |
| EOS-AM | EOS Morning Crossing Mission |
| EOS-PM | EOS Afternoon Crossing Mission |
| ERBE | Earth Radiation Budget Experiment |
| ERBS | Earth Radiation Budget Satellite |
| GFDL | Geophysical Fluid Dynamics Laboratory |
| GSFC | Goddard Space Flight Center |
| HDF | Hierarchical Data Format |
| IMA | Interpolated Daily MODIS Aerosol |
| LaTIS | Langley TRMM Information System |
| MB | Megabytes |
| met | metadata file |
| μm | microns |
| MOA | Meteorological, Ozone, and Aerosol |
| MODIS | Moderate Resolution Imaging Spectrometer |
| N/A | Not Applicable |
| NASA | National Aeronautics and Space Administration |
| NOAA | National Oceanic and Atmospheric Administration |
| PCF | Process Control File |
| PGE | Product Generation Executives |
| QC | Quality Control |
| SAH | Surface Albedo History |
| SAIC | Science Applications International Corporation |
| SARB | Surface and Atmospheric Radiation Budget |
| SMF | Status Message File |
| SSF | Single Satellite CERES Footprint TOA and Surface Fluxes, Clouds |
| SSFA | Single Satellite CERES Footprint TOA and Surface Fluxes, Clouds, Aerosols |
| SSFB | Single Satellite CERES Footprint TOA and Surface Fluxes, Clouds Binary |
| TOA | Top-of-Atmosphere |

TRMM Tropical Rainfall Measuring Mission
VD Validation Days

Appendix B

Error Messages for Subsystem 5.0

Appendix B contains a comprehensive list of messages that can be generated during the execution of PGEs CER5.0P1, and CER5.1P1. These messages are used to inform the operator or analyst of specific circumstances encountered during data processing. These messages may be strictly informative (Error Type = Notice or Warning), or may indicate a fatal condition that results in premature PGE termination (Error Type = Error). All messages are written to the LogReport file and/or the LogStatus File of the processing instance.

[Table B-1](#) contains a list of the diagnostic messages for PGEs CER5.0P1, and CER5.1P1 (Main-Processor only). [Table B-2](#) contains a list of the PGE CER5.1P1 HDF Post-Processor diagnostic messages. Each table entry includes the message mnemonic, a brief description of the error, and the recommended action that should be taken when the message is encountered. The message mnemonic indicates the error type.

NOTE: Some messages may be generated from any one of multiple origins within the software. Instead of repeating the messages for each possible origin, these messages are simply preceded with “_____(),” and are located last in the table.

Operator Instructions:

If a PGE prematurely terminates, then take the following steps:

1. Look at the last few records on the LogStatus file.
2. Find the error message in the following Error Message listing(s), and follow the appropriate ACTION

ACTION CODE = 1 ; Verify that file exists
 = 2 ; Verify that the file size is correct
 = 3 ; Check the ASCII input file and PCF file for correctness
 = 4 ; No Action, call the Responsible Person in [Table 1-1](#) for PGE CER5.0P1, or [Table 2-1](#) for PGE CER5.1P1
 = 5 ; No Action, the PGE's QC report notifies the responsible person

3. If an error message is not in the LogStatus File, then repeat steps 1 and 2 using the LogReport File.
4. If no information is derived, then call the responsible person (see ACTION CODE 4).
5. If the appropriate ACTION failed, then call the responsible person (see ACTION CODE 4).
6. In all cases, log all steps that were taken after the PGE failure, and send a copy to the responsible person (see ACTION CODE 4).

B.1 Error Messages for PGEs CER5.0P1, and CER5.1P1

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (1 of 9)

| Error Message/Description | Action Code |
|---|-------------|
| AerClim_OpenDrive (): Error ... Could not read MATCH data Error retrieving Collins aerosol climatology static ancillary input data filename from PCF | 1,3 |
| AerClim_OpenDrive (): Error ... Could not retrieve filename Error retrieving Collins aerosol climatology static ancillary input data filename from PCF | 3 |
| AerClim_OpenDrive (): Error ... Determining existence of Aer file Error determining the existence of the Collins aerosol climatology static ancillary input data file | 3 |
| DailySA_Close (): Error ... Cannot close daily SA file Error closing daily surface albedo history file | 2,3 |
| DailySA_Open (): Error ... Cannot open daily SA file Error opening a daily surface albedo history input file. | 1,3 |
| DailySA_Open (): Error ... Cannot read daily SA header Error reading a header record on a daily surface albedo history file | 4 |
| DailySA_Open (): Error ... Determining existence of file Error determining the existence of an input file | 4 |
| DailySA_Open (): Error ... Retrieving name of SA file Error retrieving daily surface albedo history input filename from PCF | 3 |
| DailySA_Process (): Error ... Cannot read daily SA file Error reading a daily surface albedo history input file | 2,3 |
| DataDate_Retrieve (): Error ... Retrieval of Day from PCF Error retrieving the data day from the PCF | 3 |
| DataDate_Retrieve (): Error ... Retrieval of Month from PCF Error retrieving the data month from the PCF | 3 |
| DataDate_Retrieve (): Error ... Retrieval of Year from PCF Error retrieving the data year from the PCF | 3 |
| Deriv_Init(): Error ... Unable to open DrivTab file Error opening derivative table input file; PCF logic ID # 1 | 1 |
| dt_load(): Error ... bt read error Error reading the derivative tables from the static ancillary file; PCF logic ID # 1 | 2,3 |
| dt_load(): Error ... ntbl is greater than maxsubtab Error reading the number of derivative tables from static ancillary file; PCF logic ID # 1 | 2,3 |
| dt_load(): Error ... ntbl read error Error reading the derivative tables from the static ancillary file; PCF logic ID # 1 | 2,3 |
| dt_load(): Error ... nword read error Error reading the sizes of the derivative tables from static ancillary file; PCF logic ID # 1 | 2,3 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (2 of 9)

| Error Message/Description | Action Code |
|--|-------------|
| dt_tune_mem(): Warning ... Error in cloud fractional area adjustment Error encountered in constraint algorithm for indicated FOV. Store values from initial pass on output. Processing for current hour continues with next FOV. | 5 |
| Finish_DailyPre5 (): Error ... Cannot close daily SA file Error closing daily surface albedo history file | 2,3 |
| Finish5(): Error ... SSF close failed Error closing primary input file; PCF Logic ID # 112 | 4 |
| FLSA_LUT_Ingest (): Error ... Cannot close FLSALUT file Cannot close Fu-Liou Surface Albedo Lookup table input file | 2,3 |
| FLSA_LUT_Ingest (): Error ... Cannot open FLSALUT file Cannot open Fu-Liou Surface Albedo Lookup table input file | 1,3 |
| FLSA_LUT_Ingest (): Error ... Cannot read FLSALUT file Cannot read Fu-Liou Surface Albedo Lookup table input file | 2,3 |
| FluxRange_Check(): Warning ... Constr Dir/Diff Invalid Invalid direct/diffuse ratio value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Dn LW Clr Invalid Invalid LW downwards clear sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Dn LW Tot Invalid Invalid LW downwards total sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Dn SW Clr Invalid Invalid SW downwards clear sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Dn SW Tot Invalid Invalid SW downwards total sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Up LW Clr Invalid Invalid LW upwards clear sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Up LW Tot Invalid Invalid LW upwards total sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Up SW Clr Invalid Invalid SW upwards clear sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (3 of 9)

| Error Message/Description | Action Code |
|---|-------------|
| FluxRange_Check(): Warning ... Constr Up SW Tot Invalid Invalid SW upwards total sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Constr Up SW Tot Invalid Invalid SW upwards total sky flux profile value from constrained pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Init Dir/Diff Invalid Invalid direct/diffuse ratio value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Dn LW Clr Invalid Invalid LW downwards clear sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Dn LW Tot Invalid Invalid LW downwards total sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Dn SW Clr Invalid Invalid SW downwards clear sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Dn SW Tot Invalid Invalid SW downwards total sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Up LW Clr Invalid Invalid LW upwards clear sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Up LW Tot Invalid Invalid LW upwards total sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Up SW Clr Invalid Invalid SW upwards clear sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FluxRange_Check(): Warning ... Initial Up SW Tot Invalid Invalid SW upwards total sky flux profile value from initial pass for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| FOV_Process () Error ... Cannot read SSF input file Error reading SSF input file | 2,3 |
| FOV_Process () Error ... Writing record to output Error writing a record to the daily surface albedo history output file | 4 |
| GADSAer_Ingest (): Error ... Sbr. GADSAer_Ingest -- File OPEN Error opening GADS aerosol climatology ancillary input data file | 1,3 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (4 of 9)

| Error Message/Description | Action Code |
|---|-------------|
| GADSAer_Ingest (): Error ... Sbr. GADSAer_Ingest -- File READ Error reading GADS aerosol climatology ancillary input data file | 2,3 |
| HCM_OcnAlb_Ingest (): Error ... Cannot close H-C-M OcnAlb file Error closing Hu-Cox-Munk Surface Albedo over Ocean ancillary input data file | 2,3 |
| HCM_OcnAlb_Ingest (): Error ... Cannot open H-C-M OcnAlb file Error opening Hu-Cox-Munk Surface Albedo over Ocean ancillary input data file | 1,3 |
| HCM_OcnAlb_Ingest (): Error ... Cannot read H-C-M OcnAlb file Error reading Hu-Cox-Munk Surface Albedo over Ocean ancillary input data file | 2,3 |
| HCM_OcnAlb_Ingest (): Error ... Cannot write H-C-M OcnAlb file Error writing to Hu-Cox-Munk Surface Albedo over Ocean ancillary input data file | 1,3 |
| Header_WrapUp () Error ... Cannot write header data Error writing header to daily surface albedo history output file | 4 |
| IGBP_Ingest (): Error ... Cannot close IGBP file Error closing IGBP ancillary input data file | 2,3 |
| IGBP_Ingest (): Error ... Cannot open IGBP file Error opening IGBP ancillary input data file | 1,3 |
| IGBP_Ingest (): Error ... Cannot read IGBP file Error reading IGBP ancillary input data file | 2,3 |
| Ingest_Input(): Error ... Unable to open SSF Error opening primary input file; PCF Logic ID # 112 | 1,3 |
| Ingest_Input(): Error ... Unable to read SSF file Error reading primary input file; PCF Logic ID # 112 | 2,3 |
| Input_Close () Error ... Cannot close SSF file Error closing SSF input file | 4 |
| Input_Open () Error ... Cannot open SSF file Error opening SSF input file | 1,3 |
| Input_Open () Error ... Retrieving SSF Name from PCF Error retrieving the name of the SSFB input file contained in the PCF | 3 |
| Input_Open () Error ... Determining existence of SSF Error determining whether or not a specified SSFB input file exists | 3 |
| InstSARB_Meta_Drv (): Error ... Write fail on CRSB metadata Error writing meta data file for the CRSB product | 3 |
| InstSARB_Meta_Drv (): Error ... Write fail on Main-Proc QC metadata Error writing meta data file for the Instantaneous SARB Main-Processor QC Report file | 3 |
| LUDCOMP(): Warning ... Matrix is singular Error encountered in constraint algorithm for indicated FOV. Store values from initial pass on output. Processing for current hour continues with next FOV. | 5 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (5 of 9)

| Error Message/Description | Action Code |
|--|-------------|
| MonQC_WrapUp () Error ... Cannot close monthly QC file Error closing Monthly Surface Albedo History QC Report output file | 2,3 |
| MonQC_WrapUp () Error ... Cannot open monthly QC file Error opening Monthly Surface Albedo History QC Report output file | 3 |
| MonQC_WrapUp () Error ... Cannot write monthly QC file Error writing to Monthly Surface Albedo History QC Report output file | 4 |
| MonSA_Ingest (): Error ... Cannot close monthly SA file Error closing Monthly Surface Albedo History ancillary input data file | 2,3 |
| MonSA_Ingest (): Error ... Cannot open monthly SA file Error opening Monthly Surface Albedo History ancillary input data file | 1,3 |
| MonSA_Ingest (): Error ... Cannot read monthly SA file Error reading Monthly Surface Albedo History ancillary input data file | 2,3 |
| MonSA_Output (): Error ... Cannot close monthly SA file Error closing Monthly Surface Albedo History output data file | 2,3 |
| MonSA_Output (): Error ... Cannot open monthly SA file Error opening Monthly Surface Albedo History output data file | 1,3 |
| MonSA_Output (): Error ... Cannot write monthly SA file Error writing Monthly Surface Albedo History output data file | 2,3 |
| PreSS5_Daily_MetaDrv (): Error ... Write fail on Daily SAH metadata Error writing meta data file for the Daily SAH file | 3 |
| PreSS5_DayMerge_MetaDrv (): Error ... Write fail on Monthly QC metadata Error writing meta data file for the Monthly SAH QC Report file | 3 |
| PreSS5_DayMerge_MetaDrv (): Error ... Write fail on Non-Prod SAH metadata Error writing meta data file for the Monthly non-production SAH file | 3 |
| PreSS5_DayMerge_MetaDrv (): Error ... Write fail on Prod SAH metadata Error writing meta data file for the Monthly SAH file to be used in production processing | 3 |
| Output_Open () Error ... Unable to open output file Error opening daily surface albedo output file | 3 |
| QC5_Close(): Error ... QC report close failed Error closing Instantaneous SARB QC Report output file; PCF Logic ID # 57 | 4 |
| QC5_Open(): Error ... QC report open failed Error opening Instantaneous SARB QC Report output file; PCF Logic ID # 57 | 3 |
| SfcAlb_Drv(): Warning ... Sbr. SfcAlb_Drv -- Invalid CERES scene id Invalid CERES scene type value for indicated FOV. Processing for current hour continues with next FOV. | 5 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (6 of 9)

| Error Message/Description | Action Code |
|---|-------------|
| SfcAlb_Drv(): Warning ... Sbr. SfcAlb_Drv -- Invalid ERBE scene id Invalid ERBE scene type value for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| SSFA_Reclngest(): ERROR ... No latitude for validation No latitudinal coordinate provided for validation. | 4 |
| SSFA_Reclngest(): ERROR ... No longitude for validation Latitudinal coordinate provided for validation, but no longitudinal coordinate. | 4 |
| SSFA_Reclngest(): ERROR ... SSFA record read error Error reading supplemental SSFA aerosol data record. | 2,3 |
| SSFA_Reclngest(): ERROR ... Supp Aer latitude mismatch SSF and SSFA latitude mismatch. | 3 |
| SSFA_Reclngest(): ERROR ... Supp Aer longitude mismatch SSF and SSFA longitude mismatch. | 3 |
| st_get_ni(): Warning ... Sbr. st_get_ni -- Sigma table maxtune Unable to retrieve correct sigma table value. Value for iav (1,ia) exceeds value for maxtune parameter for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| st_get_ni(): Warning ... Sbr. st_get_ni -- Sigma table mcldc Unable to retrieve correct sigma table value. Value for iav (2,ia) exceeds value for mcldc parameter for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| st_get_ni(): Warning ... Sbr. st_get_ni -- Sigma table nsid Unable to retrieve correct sigma table value. Value for iav (3,ia) exceeds value for nsid parameter for indicated FOV. Processing for current hour continues with next FOV. | 5 |
| st_load(): Error ... NCASE is greater than MCASE Invalid value of either NCASE or MCASE parameters in the static ancillary input data file; PCF logic ID # 2 | 2,3 |
| st_load(): Error ... NSID is greater than MSID Invalid value of either NSID or MSID parameters in the static ancillary input data file; PCF logic ID # 2 | 2,3 |
| st_load(): Error ... Sigma LUT pointer out of range Error encountered in constraint algorithm for indicated FOV. Store values from initial pass on output. Processing for current hour continues with next FOV. | 5 |
| st_load(): Error ... Unable to read namelist ST_CASE Unable to read namelist ST_CASE from the static ancillary input data file; PCF logic ID # 2 | 2,3 |
| st_load(): Error ... Unable to read namelist ST_SIGF Unable to read namelist ST_SIGF from the static ancillary input data file; PCF logic ID # 2 | 2,3 |
| st_load(): Error ... Unable to read namelist ST_SIGV Unable to read namelist ST_SIGV from the static ancillary input data file; PCF logic ID # 2 | 2,3 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (7 of 9)

| Error Message/Description | Action Code |
|--|-------------|
| st_load(): Error ... Unable to read sigma table parameters Error reading sigma table-static ancillary input data file; PCF logic ID # 2 | 2,3 |
| st_load(): Error ... Unable to read namelist ST_VERS Error reading sigma table-static ancillary input data file version number; PCF logic ID # 2 | 2,3 |
| tridag(): Warning ... Sbr. tridag, Constr -- Pause 1 Invalid value encountered for indicated FOV in radiative transfer model at first Fu-Liou PAUSE during the constrained pass. Processing for current hour continues with next FOV. | 5 |
| tridag(): Warning ... Sbr. tridag, Constr -- Pause 2 Invalid value encountered for indicated FOV in radiative transfer model at second Fu-Liou PAUSE during the constrained pass. Processing for current hour continues with next FOV. | 5 |
| tridag(): Warning ... Sbr. tridag, Initial -- Pause 1 Invalid value encountered for indicated FOV in radiative transfer model at first Fu-Liou PAUSE during the initial pass. Processing for current hour continues with next FOV. | 5 |
| tridag(): Warning ... Sbr. tridag, Initial -- Pause 2 Invalid value encountered for indicated FOV in radiative transfer model at second Fu-Liou PAUSE during the initial pass. Processing for current hour continues with next FOV. | 5 |
| Tune_Drv(): Warning ... Aerosol Optical Depth Out Of Range Adjusted aerosol optical depth value out-of-range for indicated FOV. Store values from initial pass on output. Processing for current hour continues with next FOV. | 5 |
| tune_xxx(): Warning ... Adjusted cloud fractional area out of range Error encountered in constraint algorithm for indicated FOV. Store values from initial pass on output. Processing for current hour continues with next FOV. | 5 |
| tune_xxx(): Warning ... Tunexxx is in error Error encountered in constraint algorithm for indicated FOV. Store values from initial pass on output. Processing for current hour continues with next FOV. | 5 |
| _____(): ERROR ... Determining if file exists Error encountered determining whether or not a file exists | 3 |
| _____(): ERROR ... Determining valid HDF file Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,2,3 |
| _____(): ERROR ... Failure closing file Error encountered closing a file | 4 |
| _____(): ERROR ... Failure closing HDF file Error encountered reading a daily MODIS MOD08 aerosol.data value | 4 |
| _____(): ERROR ... Failure opening file Error encountered opening a file | 3 |
| _____(): ERROR ... Failure opening HDF file Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,2,3 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (8 of 9)

| Error Message/Description | Action Code |
|--|-------------|
| ____(): ERROR ... Missing Day run-time LID Retrieval of day run-time parameter requested, but no LID provided | 4 |
| ____(): ERROR ... Missing Hour run-time LID Retrieval of hour run-time parameter requested, but no LID provided | 4 |
| ____(): ERROR ... Missing Month run-time LID Retrieval of month run-time parameter requested, but no LID provided | 4 |
| ____(): ERROR ... Missing Year run-time LID Retrieval of year run-time parameter requested, but no LID provided | 4 |
| ____(): ERROR ... No DA file record length No record length provided for opening a direct access file | 4 |
| ____(): ERROR ... Read of Angstrom Exp 1 Ocean_Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Angstrom Exp 2 Ocean_Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Continental Optical Depth Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Effective Optical Depth Ocean Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Mean Reflectance Land All QA66 Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Optical Depth Dust Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Optical Depth Land Ocean Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Optical Depth Smoke Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Read of Optical Depth Sulfate Mean Error encountered reading a daily MODIS MOD08 aerosol.data value | 1,4 |
| ____(): ERROR ... Retrieving Day PCF run-time Error encountered retrieving day from PCF | 3 |
| ____(): ERROR ... Retrieving file name Error encountered retrieving filename from PCF | 3 |
| ____(): ERROR ... Retrieving Hour PCF run-time Error encountered retrieving hour from PCF | 3 |

Table B-1. TK (SMF) Utility Message Table for PGEs CER5.0P1, and CER5.1P1 (9 of 9)

| Error Message/Description | Action Code |
|--|-------------|
| ____(): ERROR ... Retrieving Month PCF run-time Error encountered retrieving month from PCF | 3 |
| ____(): ERROR ... Retrieving Year PCF run-time Error encountered retrieving year from PCF | 3 |

B.1.1 Error Messages for PGE CER5.1P1 HDF Post-Processor

Table B-2. PGE CER5.1P1 HDF Post-Processor Error Messages

| Message | Module Name | Error Type | Action |
|--|-------------|------------|---|
| 200: CRS QA Flag set to QA_FAIL. HDF file will not be created. | crs2hdf | Fatal | This hour should not be run while CRSB QA flag is set to FAIL |
| 201: subroutine crs_open could not open CRS file | crs2hdf | Fatal | Check PCF file for request name and location of CRSB file. Verify file exists in that location. PCF logic ID #7 |
| 202: problem closing the CRS file | crs2hdf | Fatal | Check for system problem |
| 203: Could not open HDF file, XXX | crs2hdf | Fatal | Check PCF file for request name and location of CRS file. PCF logic ID #102 |
| 204: error initializing HDF file | crs2hdf | Fatal | Check for system problem |
| 205: Unable to write header to HDF file XXX | crs2hdf | Fatal | Check for system problem |
| 206: Could not close, XXX | crs2hdf | Fatal | Check for system problem |
| 207: error closing the HDF file | crs2hdf | Fatal | Check for system problem |
| 208: Unable to write XXX SDS for YYY for record number ZZ | crs2hdf | Fatal | Check for system problem |
| 209: Unable to read XXX SDS for YYY for record number ZZ | crs2hdf | Fatal | Contact Analyst listed in Table 2-1 |
| 210: Invalid SDS number. Correct numbers are 1 through 185. | crs2hdf | Fatal | Contact Analyst listed in Table 2-1 |

Appendix C

Sample ASCII (PCFin) File Listings for Subsystem 5.0

C.1 Sample ASCII (PCFin) File Listing for CER5.0P1

```
#####
# CERES baseline Metadata
#####
PGEName = CER5.0P1
SamplingStrategy = Terra-FM2-MODIS
ProductionStrategy = SSIT
CERDataDateYear = 2000
CERDataDateMonth = 06
CERDataDateDay = 01
CERHrOfMonth = 00
ConfigurationCode = 999999
SWsccr = 315
DATAsccr = 315
Sat_name = Terra
Inst_name = FM2
Imag_name = MODIS

#####
# PGE specific runtime parameters
#####
Satellite_Instrument = Terra-FM2-MODIS
Ancillary_Data_Set = None
SP_MODEL_NUM = 1
RUN_SURF_ALG = 1
PGE_VERSION = 3.6
TK_Ver = SCF TK5.2.7

#####
# PCF required directories
#####
SS5.0_InputDir.1 = /usr/people4/caldwell/sarb/data/ancillary/dynamic/sarb
SS5.0_InputDir.2 = /usr/people4/caldwell/sarb/data/ancillary/static/sarb
SS5.0_InputDir.3 = /usr/people4/caldwell/inversion/data/out_comp/data
SS5.0_InputDir.4 = /usr/people4/caldwell/sarb/data/out_comp/data/regridmoa
SS5.0_InputDir.5 = /usr/people4/caldwell/clouds/data/input/MODIS
SS5.0_OutputDir.1 = /usr/people4/caldwell/sarb/data/ancillary/dynamic/sarb
SS5.0_OutputDir.2 = /usr/people4/caldwell/sarb/data/out_comp/qa_reports/sarb
SS5.0_RunDir = /usr/people4/caldwell/sarb/bin/sarb
SS5.0_LogsDir = /usr/people4/caldwell/sarb/data/runlogs/sarb
SS5.0_MCFDir = /usr/people4/caldwell/sarb/rcf/mcf/sarb
```

```
SS5.0_PGSDir = /usr/local/TOOLKIT
SS5.0_SCRDir = /usr/people4/caldwell/sarb/data/scr
```

```
#####
```

```
# Input file names
```

```
#####
```

```
SS5.0_SAInputfile.IGBP = IGBP_Ver3.0
SS5.0_Inputfile.LUT = flsa0602b_lut.2s.coef_20020913
SS5.0_Inputfile.GFDL = SS5_GFDLAerClim_200006
SS5.0_Inputfile.ColBackup = MATCH_TERRA_AOTS_CLIM_MODIS.06
SS5.0_Inputfile.Collins.01 = MATCH_TERRA_AOTS_MODIS.20000601
SS5.0_Inputfile.Collins.02 = MATCH_TERRA_AOTS_MODIS.20000602
SS5.0_Inputfile.Collins.03 = MATCH_TERRA_AOTS_MODIS.20000603
SS5.0_Inputfile.Collins.04 = MATCH_TERRA_AOTS_MODIS.20000604
SS5.0_Inputfile.Collins.05 = MATCH_TERRA_AOTS_MODIS.20000605
SS5.0_Inputfile.Collins.06 = MATCH_TERRA_AOTS_MODIS.20000606
SS5.0_Inputfile.Collins.07 = MATCH_TERRA_AOTS_MODIS.20000607
SS5.0_Inputfile.Collins.08 = MATCH_TERRA_AOTS_MODIS.20000608
SS5.0_Inputfile.Collins.09 = MATCH_TERRA_AOTS_MODIS.20000609
SS5.0_Inputfile.Collins.10 = MATCH_TERRA_AOTS_MODIS.20000610
SS5.0_Inputfile.Collins.11 = MATCH_TERRA_AOTS_MODIS.20000611
SS5.0_Inputfile.Collins.12 = MATCH_TERRA_AOTS_MODIS.20000612
SS5.0_Inputfile.Collins.13 = MATCH_TERRA_AOTS_MODIS.20000613
SS5.0_Inputfile.Collins.14 = MATCH_TERRA_AOTS_MODIS.20000614
SS5.0_Inputfile.Collins.15 = MATCH_TERRA_AOTS_MODIS.20000615
SS5.0_Inputfile.Collins.16 = MATCH_TERRA_AOTS_MODIS.20000616
SS5.0_Inputfile.Collins.17 = MATCH_TERRA_AOTS_MODIS.20000617
SS5.0_Inputfile.Collins.18 = MATCH_TERRA_AOTS_MODIS.20000618
SS5.0_Inputfile.Collins.19 = MATCH_TERRA_AOTS_MODIS.20000619
SS5.0_Inputfile.Collins.20 = MATCH_TERRA_AOTS_MODIS.20000620
SS5.0_Inputfile.Collins.21 = MATCH_TERRA_AOTS_MODIS.20000621
SS5.0_Inputfile.Collins.22 = MATCH_TERRA_AOTS_MODIS.20000622
SS5.0_Inputfile.Collins.23 = MATCH_TERRA_AOTS_MODIS.20000623
SS5.0_Inputfile.Collins.24 = MATCH_TERRA_AOTS_MODIS.20000624
SS5.0_Inputfile.Collins.25 = MATCH_TERRA_AOTS_MODIS.20000625
SS5.0_Inputfile.Collins.26 = MATCH_TERRA_AOTS_MODIS.20000626
SS5.0_Inputfile.Collins.27 = MATCH_TERRA_AOTS_MODIS.20000627
SS5.0_Inputfile.Collins.28 = MATCH_TERRA_AOTS_MODIS.20000628
SS5.0_Inputfile.Collins.29 = MATCH_TERRA_AOTS_MODIS.20000629
SS5.0_Inputfile.Collins.30 = MATCH_TERRA_AOTS_MODIS.20000630
SS5.0_Inputfile.01.00 = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2000060100
SS5.0_Inputfile.01.01 = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2000060101
SS5.0_Inputfile.01.02 = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2000060102
SS5.0_Inputfile.01.03 = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2000060103
SS5.0_Inputfile.01.04 = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2000060104
SS5.0_Inputfile.01.05 = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2000060105
```

SS5.0_Inputfile.01.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060106
SS5.0_Inputfile.01.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060107
SS5.0_Inputfile.01.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060108
SS5.0_Inputfile.01.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060109
SS5.0_Inputfile.01.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060110
SS5.0_Inputfile.01.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060111
SS5.0_Inputfile.01.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060112
SS5.0_Inputfile.01.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060113
SS5.0_Inputfile.01.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060114
SS5.0_Inputfile.01.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060115
SS5.0_Inputfile.01.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060116
SS5.0_Inputfile.01.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060117
SS5.0_Inputfile.01.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060118
SS5.0_Inputfile.01.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060119
SS5.0_Inputfile.01.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060120
SS5.0_Inputfile.01.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060121
SS5.0_Inputfile.01.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060122
SS5.0_Inputfile.01.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060123
SS5.0_Inputfile.02.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060200
SS5.0_Inputfile.02.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060201
SS5.0_Inputfile.02.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060202
SS5.0_Inputfile.02.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060203
SS5.0_Inputfile.02.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060204
SS5.0_Inputfile.02.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060205
SS5.0_Inputfile.02.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060206
SS5.0_Inputfile.02.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060207
SS5.0_Inputfile.02.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060208
SS5.0_Inputfile.02.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060209
SS5.0_Inputfile.02.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060210
SS5.0_Inputfile.02.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060211
SS5.0_Inputfile.02.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060212
SS5.0_Inputfile.02.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060213
SS5.0_Inputfile.02.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060214
SS5.0_Inputfile.02.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060215
SS5.0_Inputfile.02.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060216
SS5.0_Inputfile.02.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060217
SS5.0_Inputfile.02.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060218
SS5.0_Inputfile.02.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060219
SS5.0_Inputfile.02.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060220
SS5.0_Inputfile.02.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060221
SS5.0_Inputfile.02.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060222
SS5.0_Inputfile.02.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060223
SS5.0_Inputfile.03.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060300
SS5.0_Inputfile.03.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060301
SS5.0_Inputfile.03.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060302
SS5.0_Inputfile.03.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000060303

SS5.0_Inputfile.10.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061020
SS5.0_Inputfile.10.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061021
SS5.0_Inputfile.10.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061022
SS5.0_Inputfile.10.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061023
SS5.0_Inputfile.11.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061100
SS5.0_Inputfile.11.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061101
SS5.0_Inputfile.11.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061102
SS5.0_Inputfile.11.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061103
SS5.0_Inputfile.11.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061104
SS5.0_Inputfile.11.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061105
SS5.0_Inputfile.11.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061106
SS5.0_Inputfile.11.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061107
SS5.0_Inputfile.11.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061108
SS5.0_Inputfile.11.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061109
SS5.0_Inputfile.11.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061110
SS5.0_Inputfile.11.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061111
SS5.0_Inputfile.11.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061112
SS5.0_Inputfile.11.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061113
SS5.0_Inputfile.11.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061114
SS5.0_Inputfile.11.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061115
SS5.0_Inputfile.11.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061116
SS5.0_Inputfile.11.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061117
SS5.0_Inputfile.11.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061118
SS5.0_Inputfile.11.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061119
SS5.0_Inputfile.11.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061120
SS5.0_Inputfile.11.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061121
SS5.0_Inputfile.11.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061122
SS5.0_Inputfile.11.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061123
SS5.0_Inputfile.12.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061200
SS5.0_Inputfile.12.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061201
SS5.0_Inputfile.12.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061202
SS5.0_Inputfile.12.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061203
SS5.0_Inputfile.12.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061204
SS5.0_Inputfile.12.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061205
SS5.0_Inputfile.12.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061206
SS5.0_Inputfile.12.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061207
SS5.0_Inputfile.12.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061208
SS5.0_Inputfile.12.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061209
SS5.0_Inputfile.12.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061210
SS5.0_Inputfile.12.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061211
SS5.0_Inputfile.12.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061212
SS5.0_Inputfile.12.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061213
SS5.0_Inputfile.12.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061214
SS5.0_Inputfile.12.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061215
SS5.0_Inputfile.12.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061216
SS5.0_Inputfile.12.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061217

SS5.0_Inputfile.12.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061218
SS5.0_Inputfile.12.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061219
SS5.0_Inputfile.12.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061220
SS5.0_Inputfile.12.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061221
SS5.0_Inputfile.12.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061222
SS5.0_Inputfile.12.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061223
SS5.0_Inputfile.13.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061300
SS5.0_Inputfile.13.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061301
SS5.0_Inputfile.13.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061302
SS5.0_Inputfile.13.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061303
SS5.0_Inputfile.13.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061304
SS5.0_Inputfile.13.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061305
SS5.0_Inputfile.13.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061306
SS5.0_Inputfile.13.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061307
SS5.0_Inputfile.13.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061308
SS5.0_Inputfile.13.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061309
SS5.0_Inputfile.13.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061310
SS5.0_Inputfile.13.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061311
SS5.0_Inputfile.13.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061312
SS5.0_Inputfile.13.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061313
SS5.0_Inputfile.13.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061314
SS5.0_Inputfile.13.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061315
SS5.0_Inputfile.13.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061316
SS5.0_Inputfile.13.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061317
SS5.0_Inputfile.13.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061318
SS5.0_Inputfile.13.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061319
SS5.0_Inputfile.13.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061320
SS5.0_Inputfile.13.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061321
SS5.0_Inputfile.13.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061322
SS5.0_Inputfile.13.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061323
SS5.0_Inputfile.14.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061400
SS5.0_Inputfile.14.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061401
SS5.0_Inputfile.14.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061402
SS5.0_Inputfile.14.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061403
SS5.0_Inputfile.14.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061404
SS5.0_Inputfile.14.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061405
SS5.0_Inputfile.14.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061406
SS5.0_Inputfile.14.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061407
SS5.0_Inputfile.14.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061408
SS5.0_Inputfile.14.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061409
SS5.0_Inputfile.14.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061410
SS5.0_Inputfile.14.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061411
SS5.0_Inputfile.14.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061412
SS5.0_Inputfile.14.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061413
SS5.0_Inputfile.14.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061414
SS5.0_Inputfile.14.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061415

SS5.0_Inputfile.14.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061416
SS5.0_Inputfile.14.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061417
SS5.0_Inputfile.14.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061418
SS5.0_Inputfile.14.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061419
SS5.0_Inputfile.14.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061420
SS5.0_Inputfile.14.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061421
SS5.0_Inputfile.14.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061422
SS5.0_Inputfile.14.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061423
SS5.0_Inputfile.15.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061500
SS5.0_Inputfile.15.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061501
SS5.0_Inputfile.15.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061502
SS5.0_Inputfile.15.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061503
SS5.0_Inputfile.15.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061504
SS5.0_Inputfile.15.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061505
SS5.0_Inputfile.15.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061506
SS5.0_Inputfile.15.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061507
SS5.0_Inputfile.15.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061508
SS5.0_Inputfile.15.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061509
SS5.0_Inputfile.15.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061510
SS5.0_Inputfile.15.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061511
SS5.0_Inputfile.15.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061512
SS5.0_Inputfile.15.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061513
SS5.0_Inputfile.15.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061514
SS5.0_Inputfile.15.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061515
SS5.0_Inputfile.15.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061516
SS5.0_Inputfile.15.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061517
SS5.0_Inputfile.15.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061518
SS5.0_Inputfile.15.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061519
SS5.0_Inputfile.15.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061520
SS5.0_Inputfile.15.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061521
SS5.0_Inputfile.15.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061522
SS5.0_Inputfile.15.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061523
SS5.0_Inputfile.16.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061600
SS5.0_Inputfile.16.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061601
SS5.0_Inputfile.16.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061602
SS5.0_Inputfile.16.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061603
SS5.0_Inputfile.16.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061604
SS5.0_Inputfile.16.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061605
SS5.0_Inputfile.16.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061606
SS5.0_Inputfile.16.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061607
SS5.0_Inputfile.16.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061608
SS5.0_Inputfile.16.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061609
SS5.0_Inputfile.16.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061610
SS5.0_Inputfile.16.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061611
SS5.0_Inputfile.16.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061612
SS5.0_Inputfile.16.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061613

SS5.0_Inputfile.16.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061614
SS5.0_Inputfile.16.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061615
SS5.0_Inputfile.16.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061616
SS5.0_Inputfile.16.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061617
SS5.0_Inputfile.16.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061618
SS5.0_Inputfile.16.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061619
SS5.0_Inputfile.16.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061620
SS5.0_Inputfile.16.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061621
SS5.0_Inputfile.16.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061622
SS5.0_Inputfile.16.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061623
SS5.0_Inputfile.17.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061700
SS5.0_Inputfile.17.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061701
SS5.0_Inputfile.17.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061702
SS5.0_Inputfile.17.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061703
SS5.0_Inputfile.17.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061704
SS5.0_Inputfile.17.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061705
SS5.0_Inputfile.17.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061706
SS5.0_Inputfile.17.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061707
SS5.0_Inputfile.17.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061708
SS5.0_Inputfile.17.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061709
SS5.0_Inputfile.17.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061710
SS5.0_Inputfile.17.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061711
SS5.0_Inputfile.17.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061712
SS5.0_Inputfile.17.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061713
SS5.0_Inputfile.17.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061714
SS5.0_Inputfile.17.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061715
SS5.0_Inputfile.17.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061716
SS5.0_Inputfile.17.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061717
SS5.0_Inputfile.17.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061718
SS5.0_Inputfile.17.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061719
SS5.0_Inputfile.17.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061720
SS5.0_Inputfile.17.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061721
SS5.0_Inputfile.17.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061722
SS5.0_Inputfile.17.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061723
SS5.0_Inputfile.18.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061800
SS5.0_Inputfile.18.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061801
SS5.0_Inputfile.18.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061802
SS5.0_Inputfile.18.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061803
SS5.0_Inputfile.18.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061804
SS5.0_Inputfile.18.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061805
SS5.0_Inputfile.18.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061806
SS5.0_Inputfile.18.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061807
SS5.0_Inputfile.18.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061808
SS5.0_Inputfile.18.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061809
SS5.0_Inputfile.18.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061810
SS5.0_Inputfile.18.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000061811

SS5.0_Inputfile.22.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062208
SS5.0_Inputfile.22.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062209
SS5.0_Inputfile.22.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062210
SS5.0_Inputfile.22.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062211
SS5.0_Inputfile.22.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062212
SS5.0_Inputfile.22.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062213
SS5.0_Inputfile.22.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062214
SS5.0_Inputfile.22.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062215
SS5.0_Inputfile.22.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062216
SS5.0_Inputfile.22.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062217
SS5.0_Inputfile.22.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062218
SS5.0_Inputfile.22.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062219
SS5.0_Inputfile.22.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062220
SS5.0_Inputfile.22.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062221
SS5.0_Inputfile.22.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062222
SS5.0_Inputfile.22.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062223
SS5.0_Inputfile.23.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062300
SS5.0_Inputfile.23.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062301
SS5.0_Inputfile.23.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062302
SS5.0_Inputfile.23.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062303
SS5.0_Inputfile.23.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062304
SS5.0_Inputfile.23.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062305
SS5.0_Inputfile.23.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062306
SS5.0_Inputfile.23.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062307
SS5.0_Inputfile.23.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062308
SS5.0_Inputfile.23.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062309
SS5.0_Inputfile.23.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062310
SS5.0_Inputfile.23.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062311
SS5.0_Inputfile.23.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062312
SS5.0_Inputfile.23.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062313
SS5.0_Inputfile.23.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062314
SS5.0_Inputfile.23.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062315
SS5.0_Inputfile.23.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062316
SS5.0_Inputfile.23.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062317
SS5.0_Inputfile.23.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062318
SS5.0_Inputfile.23.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062319
SS5.0_Inputfile.23.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062320
SS5.0_Inputfile.23.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062321
SS5.0_Inputfile.23.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062322
SS5.0_Inputfile.23.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062323
SS5.0_Inputfile.24.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062400
SS5.0_Inputfile.24.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062401
SS5.0_Inputfile.24.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062402
SS5.0_Inputfile.24.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062403
SS5.0_Inputfile.24.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062404
SS5.0_Inputfile.24.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062405

SS5.0_Inputfile.24.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062406
SS5.0_Inputfile.24.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062407
SS5.0_Inputfile.24.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062408
SS5.0_Inputfile.24.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062409
SS5.0_Inputfile.24.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062410
SS5.0_Inputfile.24.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062411
SS5.0_Inputfile.24.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062412
SS5.0_Inputfile.24.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062413
SS5.0_Inputfile.24.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062414
SS5.0_Inputfile.24.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062415
SS5.0_Inputfile.24.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062416
SS5.0_Inputfile.24.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062417
SS5.0_Inputfile.24.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062418
SS5.0_Inputfile.24.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062419
SS5.0_Inputfile.24.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062420
SS5.0_Inputfile.24.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062421
SS5.0_Inputfile.24.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062422
SS5.0_Inputfile.24.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062423
SS5.0_Inputfile.25.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062500
SS5.0_Inputfile.25.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062501
SS5.0_Inputfile.25.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062502
SS5.0_Inputfile.25.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062503
SS5.0_Inputfile.25.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062504
SS5.0_Inputfile.25.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062505
SS5.0_Inputfile.25.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062506
SS5.0_Inputfile.25.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062507
SS5.0_Inputfile.25.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062508
SS5.0_Inputfile.25.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062509
SS5.0_Inputfile.25.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062510
SS5.0_Inputfile.25.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062511
SS5.0_Inputfile.25.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062512
SS5.0_Inputfile.25.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062513
SS5.0_Inputfile.25.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062514
SS5.0_Inputfile.25.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062515
SS5.0_Inputfile.25.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062516
SS5.0_Inputfile.25.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062517
SS5.0_Inputfile.25.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062518
SS5.0_Inputfile.25.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062519
SS5.0_Inputfile.25.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062520
SS5.0_Inputfile.25.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062521
SS5.0_Inputfile.25.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062522
SS5.0_Inputfile.25.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062523
SS5.0_Inputfile.26.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062600
SS5.0_Inputfile.26.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062601
SS5.0_Inputfile.26.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062602
SS5.0_Inputfile.26.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000062603

SS5.0_Inputfile.30.00 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063000
SS5.0_Inputfile.30.01 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063001
SS5.0_Inputfile.30.02 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063002
SS5.0_Inputfile.30.03 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063003
SS5.0_Inputfile.30.04 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063004
SS5.0_Inputfile.30.05 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063005
SS5.0_Inputfile.30.06 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063006
SS5.0_Inputfile.30.07 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063007
SS5.0_Inputfile.30.08 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063008
SS5.0_Inputfile.30.09 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063009
SS5.0_Inputfile.30.10 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063010
SS5.0_Inputfile.30.11 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063011
SS5.0_Inputfile.30.12 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063012
SS5.0_Inputfile.30.13 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063013
SS5.0_Inputfile.30.14 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063014
SS5.0_Inputfile.30.15 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063015
SS5.0_Inputfile.30.16 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063016
SS5.0_Inputfile.30.17 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063017
SS5.0_Inputfile.30.18 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063018
SS5.0_Inputfile.30.19 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063019
SS5.0_Inputfile.30.20 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063020
SS5.0_Inputfile.30.21 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063021
SS5.0_Inputfile.30.22 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063022
SS5.0_Inputfile.30.23 = CER_SSFb_Terra-FM2-MODIS_Edition2A_025029.2000063023
MOAInput_20000601.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060100
MOAInput_20000601.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060106
MOAInput_20000601.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060112
MOAInput_20000601.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060118
MOAInput_20000602.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060200
MOAInput_20000602.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060206
MOAInput_20000602.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060212
MOAInput_20000602.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060218
MOAInput_20000603.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060300
MOAInput_20000603.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060306
MOAInput_20000603.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060312
MOAInput_20000603.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060318
MOAInput_20000604.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060400
MOAInput_20000604.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060406
MOAInput_20000604.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060412
MOAInput_20000604.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060418
MOAInput_20000605.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060500
MOAInput_20000605.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060506
MOAInput_20000605.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060512
MOAInput_20000605.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060518
MOAInput_20000606.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060600
MOAInput_20000606.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060606

MOAInput_20000606.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060612
MOAInput_20000606.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060618
MOAInput_20000607.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060700
MOAInput_20000607.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060706
MOAInput_20000607.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060712
MOAInput_20000607.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060718
MOAInput_20000608.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060800
MOAInput_20000608.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060806
MOAInput_20000608.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060812
MOAInput_20000608.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060818
MOAInput_20000609.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000060900
MOAInput_20000609.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000060906
MOAInput_20000609.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000060912
MOAInput_20000609.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000060918
MOAInput_20000610.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061000
MOAInput_20000610.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061006
MOAInput_20000610.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061012
MOAInput_20000610.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061018
MOAInput_20000611.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061100
MOAInput_20000611.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061106
MOAInput_20000611.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061112
MOAInput_20000611.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061118
MOAInput_20000612.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061200
MOAInput_20000612.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061206
MOAInput_20000612.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061212
MOAInput_20000612.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061218
MOAInput_20000613.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061300
MOAInput_20000613.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061306
MOAInput_20000613.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061312
MOAInput_20000613.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061318
MOAInput_20000614.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061400
MOAInput_20000614.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061406
MOAInput_20000614.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061412
MOAInput_20000614.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061418
MOAInput_20000615.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061500
MOAInput_20000615.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061506
MOAInput_20000615.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061512
MOAInput_20000615.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061518
MOAInput_20000616.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061600
MOAInput_20000616.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061606
MOAInput_20000616.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061612
MOAInput_20000616.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061618
MOAInput_20000617.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061700
MOAInput_20000617.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061706
MOAInput_20000617.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061712
MOAInput_20000617.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061718

MOAInput_20000618.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061800
MOAInput_20000618.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061806
MOAInput_20000618.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061812
MOAInput_20000618.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061818
MOAInput_20000619.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000061900
MOAInput_20000619.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000061906
MOAInput_20000619.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000061912
MOAInput_20000619.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000061918
MOAInput_20000620.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062000
MOAInput_20000620.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062006
MOAInput_20000620.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062012
MOAInput_20000620.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062018
MOAInput_20000621.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062100
MOAInput_20000621.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062106
MOAInput_20000621.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062112
MOAInput_20000621.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062118
MOAInput_20000622.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062200
MOAInput_20000622.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062206
MOAInput_20000622.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062212
MOAInput_20000622.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062218
MOAInput_20000623.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062300
MOAInput_20000623.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062306
MOAInput_20000623.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062312
MOAInput_20000623.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062318
MOAInput_20000624.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062400
MOAInput_20000624.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062406
MOAInput_20000624.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062412
MOAInput_20000624.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062418
MOAInput_20000625.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062500
MOAInput_20000625.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062506
MOAInput_20000625.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062512
MOAInput_20000625.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062518
MOAInput_20000626.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062600
MOAInput_20000626.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062606
MOAInput_20000626.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062612
MOAInput_20000626.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062618
MOAInput_20000627.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062700
MOAInput_20000627.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062706
MOAInput_20000627.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062712
MOAInput_20000627.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062718
MOAInput_20000628.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062800
MOAInput_20000628.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062806
MOAInput_20000628.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062812
MOAInput_20000628.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062818
MOAInput_20000629.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000062900
MOAInput_20000629.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000062906

MOAInput_20000629.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000062912
MOAInput_20000629.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000062918
MOAInput_20000630.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000063000
MOAInput_20000630.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000063006
MOAInput_20000630.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000063012
MOAInput_20000630.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000063018
MOAInput_20000701.00 = CER_MOA_CERES_DAO-GEOS4_016023.2000070100
MOAInput_20000701.06 = CER_MOA_CERES_DAO-GEOS4_016023.2000070106
MOAInput_20000701.12 = CER_MOA_CERES_DAO-GEOS4_016023.2000070112
MOAInput_20000701.18 = CER_MOA_CERES_DAO-GEOS4_016023.2000070118
SS5.0_SAInputfile.01 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000601
SS5.0_SAInputfile.02 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000602
SS5.0_SAInputfile.03 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000603
SS5.0_SAInputfile.04 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000604
SS5.0_SAInputfile.05 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000605
SS5.0_SAInputfile.06 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000606
SS5.0_SAInputfile.07 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000607
SS5.0_SAInputfile.08 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000608
SS5.0_SAInputfile.09 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000609
SS5.0_SAInputfile.10 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000610
SS5.0_SAInputfile.11 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000611
SS5.0_SAInputfile.12 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000612
SS5.0_SAInputfile.13 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000613
SS5.0_SAInputfile.14 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000614
SS5.0_SAInputfile.15 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000615
SS5.0_SAInputfile.16 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000616
SS5.0_SAInputfile.17 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000617
SS5.0_SAInputfile.18 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000618
SS5.0_SAInputfile.19 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000619
SS5.0_SAInputfile.20 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000620
SS5.0_SAInputfile.21 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000621
SS5.0_SAInputfile.22 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000622
SS5.0_SAInputfile.23 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000623
SS5.0_SAInputfile.24 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000624
SS5.0_SAInputfile.25 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000625
SS5.0_SAInputfile.26 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000626
SS5.0_SAInputfile.27 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000627
SS5.0_SAInputfile.28 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000628
SS5.0_SAInputfile.29 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000629
SS5.0_SAInputfile.30 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.20000630
SS5.0_MODISVersion = 4
SS5.0_AERInputfile.01 = MOD08_D3.A2000153.004.2002343220150.hdf
SS5.0_AERInputfile.02 = MOD08_D3.A2000154.004.2002358225532.hdf
SS5.0_AERInputfile.03 = MOD08_D3.A2000155.004.2002359033906.hdf
SS5.0_AERInputfile.04 = MOD08_D3.A2000156.004.2002359065936.hdf
SS5.0_AERInputfile.05 = MOD08_D3.A2000157.004.2002343221723.hdf

```

SS5.0_AERInputfile.06 = MOD08_D3.A2000158.004.2002343225740.hdf
SS5.0_AERInputfile.07 = MOD08_D3.A2000159.004.2002344005602.hdf
SS5.0_AERInputfile.08 = MOD08_D3.A2000160.004.2002344021546.hdf
SS5.0_AERInputfile.09 = MOD08_D3.A2000161.004.2002344030332.hdf
SS5.0_AERInputfile.10 = MOD08_D3.A2000162.004.2002344040911.hdf
SS5.0_AERInputfile.11 = MOD08_D3.A2000163.004.2003010233717.hdf
SS5.0_AERInputfile.12 = MOD08_D3.A2000164.004.2003001234415.hdf
SS5.0_AERInputfile.13 = MOD08_D3.A2000165.004.2003002174732.hdf
SS5.0_AERInputfile.14 = MOD08_D3.A2000166.004.2003002120138.hdf
SS5.0_AERInputfile.15 = MOD08_D3.A2000167.004.2002364003406.hdf
SS5.0_AERInputfile.16 = MOD08_D3.A2000168.004.2003004000005.hdf
SS5.0_AERInputfile.17 = MOD08_D3.A2000169.004.2003019203359.hdf
SS5.0_AERInputfile.18 = MOD08_D3.A2000170.004.2002362013858.hdf
SS5.0_AERInputfile.19 = MOD08_D3.A2000171.004.2002362060650.hdf
SS5.0_AERInputfile.20 = MOD08_D3.A2000172.004.2002362234303.hdf
SS5.0_AERInputfile.21 = MOD08_D3.A2000173.004.2002363032852.hdf
SS5.0_AERInputfile.22 = MOD08_D3.A2000174.004.2002358105041.hdf
SS5.0_AERInputfile.23 = MOD08_D3.A2000175.004.2002358165827.hdf
SS5.0_AERInputfile.24 = MOD08_D3.A2000176.004.2002358184837.hdf
SS5.0_AERInputfile.25 = MOD08_D3.A2000177.004.2002359140355.hdf
SS5.0_AERInputfile.26 = MOD08_D3.A2000178.004.2003003143127.hdf
SS5.0_AERInputfile.27 = MOD08_D3.A2000179.004.2002362065518.hdf
SS5.0_AERInputfile.28 = MOD08_D3.A2000180.004.2002362133319.hdf
SS5.0_AERInputfile.29 = MOD08_D3.A2000181.004.2002362180008.hdf
SS5.0_AERInputfile.30 = MOD08_D3.A2000182.004.2002363093336.hdf

```

#####

Output file names

#####

```

SS5.0_Outputfile.1 = CER_HDSAL_Terra-FM2-MODIS_SSIT_999999.200006
SS5.0_Output_MSA_Prod = CER_HMPSAL_Terra-FM2-MODIS_SSIT_999999.200006
SS5.0_Output_MSA_Curr = CER_HMSAL_Terra-FM2-MODIS_SSIT_999999.200006
SS5.0_Output_QC = CER_MQCSA_Terra-FM2-MODIS_SSIT_999999.200006
SS5.0_Output_MAER_Prod = CER_HMAER_Terra-FM2-MODIS_SSIT_999999.200006

```

#####

Log file names

#####

```

SS5.0_Logsfile.1 = CER5.0P1_LogStatus_Terra-FM2-MODIS_SSIT_999999.200006
SS5.0_Logsfile.2 = CER5.0P1_LogReport_Terra-FM2-MODIS_SSIT_999999.200006
SS5.0_Logsfile.3 = CER5.0P1_LogUser_Terra-FM2-MODIS_SSIT_999999.200006

```

```
#####
# Temporary file names
#####
Get_tempfile = GetAttr.temp.200006
MCF_tempfile = MCFWrite.temp.200006
```

C.2 Sample ASCII (PCFin) File Listing for CER5.1P1

```
#####
# CERES baseline Metadata
#####
PGENAME = CER5.1P1
SamplingStrategy = Terra-FM2-MODIS
ProductionStrategy = SSIT
CERDataDateYear = 2001
CERDataDateMonth = 04
CERDataDateDay = 20
CERHrOfDay = 00
ConfigurationCode = 999999
SWsccr = 315
DATAsccr = 315
Sat_name = Terra
Inst_name = FM2
Imag_name = MODIS

#####
# PGE specific runtime parameters
#####
Satellite_Instrument = Terra-FM2-MODIS
Ancillary_Data_Set = DER3/SIG4
SP_MODEL_NUM = 1
RUN_SURF_ALG = 1
PGE_VERSION = 0306
TK_Ver = SCF TK5.2.7

#####
# PCF required directories
#####
SS5.0_InputDir.Inv = /CERES/sarb/caldwell/inversion/data/out_comp/data
SS5.0_InputDir.StAnc = /CERES/sarb/caldwell/sarb/data/ancillary/static/sarb
SS5.0_InputDir.AerMATCH = /CERES/sarb/caldwell/sarb/data/ancillary/static/sarb/match_aot/
match_aots_200104
SS5.0_InputDir.DyAnc = /CERES/sarb/caldwell/sarb/data/ancillary/dynamic/sarb
SS5.0_InputDir.MOA = /CERES/sarb/caldwell/sarb/data/out_comp/data/regridmoa
SS5.0_InputDir.CRSB = /CERES/sarb/caldwell/sarb/data/out_comp/data/sarb
```

```

SS5.0_OutputDir.CRS = /CERES/sarb/caldwell/sarb/data/out_comp/data/sarb
SS5.0_OutputDir.QC = /CERES/sarb/caldwell/sarb/data/out_comp/qa_reports/sarb
SS5.0_RunDir = /CERES/sarb/caldwell/sarb/bin/sarb
SS5.0_LogsDir = /CERES/sarb/caldwell/sarb/data/runlogs/sarb
SS5.0_MCFDir = /CERES/sarb/caldwell/sarb/rcf/mcf/sarb
SS5.0_PGSDir = /opt/net/TOOLKIT
SS5.0_SCRDir = /CERES/sarb/caldwell/sarb/data/scr

#####
# Input file names
#####
SS5.0_Input.deriv = SS5_DrivTab_19990315
SS5.0_Input.sigma = SigTab_Instantaneous_20020913
SS5.0_Input.igbp = IGBP_Ver3.0
SS5.0_Input.sfcalb = CER_HMPSAL_Terra-FM2-MODIS_SSIT_999999.200104
SS5.0_Input.gmod = CER_HMAER_Terra-FM2-MODIS_SSIT_999999.200104
SS5.0_Input.moa1 = CER_MOA_CERES_DAO-GEOS4_016023.2001042000
SS5.0_Input.moa2 = CER_MOA_CERES_DAO-GEOS4_016023.2001042000
SS5.0_Input.moa3 = CER_MOA_CERES_DAO-GEOS4_016023.2001042000
SS5.0_Input.ssfb = CER_SSFB_Terra-FM2-MODIS_Edition2A_025029.2001042000
SS5.0_Input.ssfa = CER_SSFA_Terra-FM2-MODIS_Edition2A_025029.2001042000
SS5.0_Input.lut2 = flsa0602b_lut.2s.coef_20020913
SS5.0_Input.lut4 = flsa3_lut.4s.coef_19991215
SS5.0_Input.gfdlaer = SS5_GFDLAerClim_200006
SS5.0_Input.colbackup = MATCH_TERRA_AOTS_CLIM_MODIS.04
SS5.0_Input.hcm_ocnalb = SS5_HuCoxMunk_OcnAlb
SS5.0_Input.zjin_ocnalb = SS5_ZJin_OcnAlb_20031101
SS5.0_Input.collins = MATCH_TERRA_AOTS_MODIS.20010420
SS5.0_Input.control = ControlFile
SS5.0_Input.crsmet = CER_CRSB_Terra-FM2-MODIS_SSIT_999999.2001042000.met
SS5.0_Input.crsb = CER_CRSB_Terra-FM2-MODIS_SSIT_999999.2001042000

#####
# Output file names
#####
SS5.0_Output.crsb = CER_CRSB_Terra-FM2-MODIS_SSIT_999999.2001042000
SS5.0_Output.crsvb = CER_CRSVB_Terra-FM2-MODIS_SSIT_999999.2001042000
SS5.0_Output.crsqc = CER_HQCR_Terra-FM2-MODIS_SSIT_999999.2001042000
SS5.0_Output.crs hdf = CER_CRSS_Terra-FM2-MODIS_SSIT_999999.2001042000

#####
# Log file names
#####
SS5.0_Logsfile.1 = CER5.1P1_LogStatus_Terra-FM2-MODIS_SSIT_999999.2001042000
SS5.0_Logsfile.2 = CER5.1P1_LogReport_Terra-FM2-MODIS_SSIT_999999.2001042000
SS5.0_Logsfile.3 = CER5.1P1_LogUser_Terra-FM2-MODIS_SSIT_999999.2001042000

```

```
#####
# Temporary file names
#####
Get_tempfile = GetAttr.temp.2001042000
MCF_tempfile = MCFWrite.temp.2001042000
```

C.3 Sample ASCII (PCFin) File Listing for CER5.3P1

```
#####
# CERES baseline Metadata
#####
PGENAME = CER5.3P1
SamplingStrategyInput = Terra-FM2-MODIS
ProductionStrategyInput = Beta3
SamplingStrategyOutput = Terra-FM2-MODIS
ProductionStrategyOutput = SSIT
CERDataDateYear = 2001
CERDataDateMonth = 01
CERDataDateDay = 01
CERHrOfDay = 00
ConfigurationCodeInput = 011014
ConfigurationCodeOutput = 999999
SWsccr = 315
DATAsccr = 315
Sat_name = Terra
Inst_name = FM2
Imag_name = MODIS

#####
# PGE specific runtime parameters
#####
Satellite_Instrument = Terra-FM2-MODIS
Ancillary_Data_Set = DER3/SIG4
SP_MODEL_NUM = 1
RUN_SURF_ALG = 1
PGE_VERSION = 0306
TK_Ver = SCF TK5.2.7

#####
# PCF required directories
#####
SS5.0_InputDir.Inv = /usr/people3/caldwell/Sarb_FullTest/inversion/data/out_comp/data
SS5.0_InputDir.CRSB = /usr/people3/caldwell/Sarb_FullTest/sarb/data/out_comp/data/sarb
SS5.0_OutputDir.CRS = /usr/people3/caldwell/Sarb_FullTest/sarb/data/out_comp/data/sarb
SS5.0_OutputDir.QC = /usr/people3/caldwell/Sarb_FullTest/sarb/data/out_comp/qa_reports/sarb
```

```

SS5.0_RunDir = /usr/people3/caldwell/Sarb_FullTest/sarb/bin/sarb
SS5.0_LogsDir = /usr/people3/caldwell/Sarb_FullTest/sarb/data/runlogs/sarb
SS5.0_MCFDir = /usr/people3/caldwell/Sarb_FullTest/sarb/rcf/mcf/sarb
SS5.0_PGSDir = /usr/local/TOOLKIT
SS5.0_SCRDir = /usr/people3/caldwell/Sarb_FullTest/sarb/data/scr

```

```

#####
# Input file names
#####
SS5.0_Input.crsmet = CER_CRSB_Terra-FM2-MODIS_Beta3_011014.2001010100.met
SS5.0_Input.crsb = CER_CRSB_Terra-FM2-MODIS_Beta3_011014.2001010100
SS5.0_Input.ssfa = CER_SSFA_Terra-FM2-MODIS_Edition1A_024025.2001010100

#####
# Output file names
#####
SS5.0_Output.crsb = CER_CRSB_Terra-FM2-MODIS_Beta3_011014.2001010100
SS5.0_Output.crsqc = CER_HQCR_Terra-FM2-MODIS_SSIT_999999.2001010100
SS5.0_Output.crs hdf = CER_CRCS_Terra-FM2-MODIS_SSIT_999999.2001010100

#####
# Log file names
#####
SS5.0_Logsfile.1 = CER5.3P1_LogStatus_Terra-FM2-MODIS_SSIT_999999.2001010100
SS5.0_Logsfile.2 = CER5.3P1_LogReport_Terra-FM2-MODIS_SSIT_999999.2001010100
SS5.0_Logsfile.3 = CER5.3P1_LogUser_Terra-FM2-MODIS_SSIT_999999.2001010100

#####
# Temporary file names
#####
Get_tempfile = GetAttr.temp.2001010100
MCF_tempfile = MCFWrite.temp.2001010100

```

C.4 Sample ASCII (PCFin) File Listing for CER5.4P1

```

#####
# CERES baseline Metadata
#####
PGEName = CER5.4P1
SamplingStrategy = Terra-FM1-MODIS
ProductionStrategy = SSIT
CERDataDateYear = 2001
CERDataDateMonth = 06
ConfigurationCode = 999999
SWsccr = 315

```

```

DATA_sccr = 315
Sat_name = Terra
Inst_name = FM1
Imag_name = MODIS

```

```

#####
# PGE specific runtime parameters
#####
Satellite_Instrument = Terra-FM1-MODIS
Ancillary_Data_Set = DER3/SIG3
SP_MODEL_NUM = 1
RUN_SURF_ALG = 1
PGE_VERSION = 0400
TK_Ver = SCF TK5.2.7
GenAvailTab = Y
GenStatTab = N
GenStatPlot = N

```

```

#####
# PCF required directories
#####
SS5.0_InputDir.HQC = /usr/people4/caldwell/sarb/data/out_comp/qa_reports/sarb
SS5.0_OutputDir.MQC = /usr/people4/caldwell/sarb/data/out_comp/qa_reports/sarb
SS5.0_InputDir.CRS = /usr/people4/caldwell/sarb/data/out_comp/data/sarb
SS5.0_RunDir = /usr/people4/caldwell/sarb/bin/sarb
SS5.0_LogsDir = /usr/people4/caldwell/sarb/data/runlogs/sarb
SS5.0_MCFDir = /usr/people4/caldwell/sarb/rcf/mcf/sarb
SS5.0_PGSDir = /usr/local/TOOLKIT
SS5.0_SCRDir = /usr/people4/caldwell/sarb/data/scr

```

```

#####
# Input file names
#####
SS5.0_Input.hqc_1 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060100
SS5.0_Input.hqc_2 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060101
SS5.0_Input.hqc_3 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060102
SS5.0_Input.hqc_4 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060103
SS5.0_Input.hqc_5 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060104
SS5.0_Input.hqc_6 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060105
SS5.0_Input.hqc_7 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060106
SS5.0_Input.hqc_8 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060107
SS5.0_Input.hqc_9 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060108
SS5.0_Input.hqc_10 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060109
SS5.0_Input.hqc_11 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060110
SS5.0_Input.hqc_12 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060111
SS5.0_Input.hqc_13 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060112

```

SS5.0_Input.hqc_14 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060113
SS5.0_Input.hqc_15 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060114
SS5.0_Input.hqc_16 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060115
SS5.0_Input.hqc_17 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060116
SS5.0_Input.hqc_18 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060117
SS5.0_Input.hqc_19 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060118
SS5.0_Input.hqc_20 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060119
SS5.0_Input.hqc_21 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060120
SS5.0_Input.hqc_22 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060121
SS5.0_Input.hqc_23 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060122
SS5.0_Input.hqc_24 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060123
SS5.0_Input.hqc_25 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060200
SS5.0_Input.hqc_26 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060201
SS5.0_Input.hqc_27 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060202
SS5.0_Input.hqc_28 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060203
SS5.0_Input.hqc_29 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060204
SS5.0_Input.hqc_30 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060205
SS5.0_Input.hqc_31 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060206
SS5.0_Input.hqc_32 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060207
SS5.0_Input.hqc_33 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060208
SS5.0_Input.hqc_34 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060209
SS5.0_Input.hqc_35 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060210
SS5.0_Input.hqc_36 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060211
SS5.0_Input.hqc_37 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060212
SS5.0_Input.hqc_38 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060213
SS5.0_Input.hqc_39 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060214
SS5.0_Input.hqc_40 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060215
SS5.0_Input.hqc_41 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060216
SS5.0_Input.hqc_42 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060217
SS5.0_Input.hqc_43 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060218
SS5.0_Input.hqc_44 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060219
SS5.0_Input.hqc_45 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060220
SS5.0_Input.hqc_46 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060221
SS5.0_Input.hqc_47 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060222
SS5.0_Input.hqc_48 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060223
SS5.0_Input.hqc_49 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060300
SS5.0_Input.hqc_50 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060301
SS5.0_Input.hqc_51 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060302
SS5.0_Input.hqc_52 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060303
SS5.0_Input.hqc_53 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060304
SS5.0_Input.hqc_54 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060305
SS5.0_Input.hqc_55 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060306
SS5.0_Input.hqc_56 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060307
SS5.0_Input.hqc_57 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060308
SS5.0_Input.hqc_58 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060309
SS5.0_Input.hqc_59 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060310

SS5.0_Input.hqc_60 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060311
SS5.0_Input.hqc_61 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060312
SS5.0_Input.hqc_62 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060313
SS5.0_Input.hqc_63 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060314
SS5.0_Input.hqc_64 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060315
SS5.0_Input.hqc_65 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060316
SS5.0_Input.hqc_66 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060317
SS5.0_Input.hqc_67 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060318
SS5.0_Input.hqc_68 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060319
SS5.0_Input.hqc_69 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060320
SS5.0_Input.hqc_70 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060321
SS5.0_Input.hqc_71 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060322
SS5.0_Input.hqc_72 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060323
SS5.0_Input.hqc_73 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060400
SS5.0_Input.hqc_74 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060401
SS5.0_Input.hqc_75 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060402
SS5.0_Input.hqc_76 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060403
SS5.0_Input.hqc_77 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060404
SS5.0_Input.hqc_78 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060405
SS5.0_Input.hqc_79 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060406
SS5.0_Input.hqc_80 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060407
SS5.0_Input.hqc_81 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060408
SS5.0_Input.hqc_82 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060409
SS5.0_Input.hqc_83 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060410
SS5.0_Input.hqc_84 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060411
SS5.0_Input.hqc_85 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060412
SS5.0_Input.hqc_86 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060413
SS5.0_Input.hqc_87 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060414
SS5.0_Input.hqc_88 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060415
SS5.0_Input.hqc_89 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060416
SS5.0_Input.hqc_90 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060417
SS5.0_Input.hqc_91 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060418
SS5.0_Input.hqc_92 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060419
SS5.0_Input.hqc_93 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060420
SS5.0_Input.hqc_94 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060421
SS5.0_Input.hqc_95 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060422
SS5.0_Input.hqc_96 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060423
SS5.0_Input.hqc_97 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060500
SS5.0_Input.hqc_98 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060501
SS5.0_Input.hqc_99 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060502
SS5.0_Input.hqc_100 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060503
SS5.0_Input.hqc_101 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060504
SS5.0_Input.hqc_102 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060505
SS5.0_Input.hqc_103 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060506
SS5.0_Input.hqc_104 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060507
SS5.0_Input.hqc_105 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060508

SS5.0_Input.hqc_106 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060509
SS5.0_Input.hqc_107 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060510
SS5.0_Input.hqc_108 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060511
SS5.0_Input.hqc_109 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060512
SS5.0_Input.hqc_110 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060513
SS5.0_Input.hqc_111 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060514
SS5.0_Input.hqc_112 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060515
SS5.0_Input.hqc_113 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060516
SS5.0_Input.hqc_114 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060517
SS5.0_Input.hqc_115 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060518
SS5.0_Input.hqc_116 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060519
SS5.0_Input.hqc_117 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060520
SS5.0_Input.hqc_118 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060521
SS5.0_Input.hqc_119 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060522
SS5.0_Input.hqc_120 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060523
SS5.0_Input.hqc_121 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060600
SS5.0_Input.hqc_122 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060601
SS5.0_Input.hqc_123 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060602
SS5.0_Input.hqc_124 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060603
SS5.0_Input.hqc_125 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060604
SS5.0_Input.hqc_126 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060605
SS5.0_Input.hqc_127 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060606
SS5.0_Input.hqc_128 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060607
SS5.0_Input.hqc_129 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060608
SS5.0_Input.hqc_130 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060609
SS5.0_Input.hqc_131 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060610
SS5.0_Input.hqc_132 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060611
SS5.0_Input.hqc_133 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060612
SS5.0_Input.hqc_134 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060613
SS5.0_Input.hqc_135 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060614
SS5.0_Input.hqc_136 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060615
SS5.0_Input.hqc_137 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060616
SS5.0_Input.hqc_138 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060617
SS5.0_Input.hqc_139 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060618
SS5.0_Input.hqc_140 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060619
SS5.0_Input.hqc_141 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060620
SS5.0_Input.hqc_142 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060621
SS5.0_Input.hqc_143 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060622
SS5.0_Input.hqc_144 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060623
SS5.0_Input.hqc_145 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060700
SS5.0_Input.hqc_146 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060701
SS5.0_Input.hqc_147 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060702
SS5.0_Input.hqc_148 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060703
SS5.0_Input.hqc_149 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060704
SS5.0_Input.hqc_150 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060705
SS5.0_Input.hqc_151 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060706

SS5.0_Input.hqc_152 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060707
SS5.0_Input.hqc_153 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060708
SS5.0_Input.hqc_154 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060709
SS5.0_Input.hqc_155 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060710
SS5.0_Input.hqc_156 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060711
SS5.0_Input.hqc_157 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060712
SS5.0_Input.hqc_158 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060713
SS5.0_Input.hqc_159 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060714
SS5.0_Input.hqc_160 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060715
SS5.0_Input.hqc_161 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060716
SS5.0_Input.hqc_162 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060717
SS5.0_Input.hqc_163 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060718
SS5.0_Input.hqc_164 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060719
SS5.0_Input.hqc_165 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060720
SS5.0_Input.hqc_166 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060721
SS5.0_Input.hqc_167 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060722
SS5.0_Input.hqc_168 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060723
SS5.0_Input.hqc_169 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060800
SS5.0_Input.hqc_170 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060801
SS5.0_Input.hqc_171 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060802
SS5.0_Input.hqc_172 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060803
SS5.0_Input.hqc_173 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060804
SS5.0_Input.hqc_174 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060805
SS5.0_Input.hqc_175 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060806
SS5.0_Input.hqc_176 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060807
SS5.0_Input.hqc_177 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060808
SS5.0_Input.hqc_178 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060809
SS5.0_Input.hqc_179 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060810
SS5.0_Input.hqc_180 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060811
SS5.0_Input.hqc_181 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060812
SS5.0_Input.hqc_182 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060813
SS5.0_Input.hqc_183 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060814
SS5.0_Input.hqc_184 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060815
SS5.0_Input.hqc_185 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060816
SS5.0_Input.hqc_186 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060817
SS5.0_Input.hqc_187 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060818
SS5.0_Input.hqc_188 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060819
SS5.0_Input.hqc_189 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060820
SS5.0_Input.hqc_190 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060821
SS5.0_Input.hqc_191 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060822
SS5.0_Input.hqc_192 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060823
SS5.0_Input.hqc_193 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060900
SS5.0_Input.hqc_194 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060901
SS5.0_Input.hqc_195 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060902
SS5.0_Input.hqc_196 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060903
SS5.0_Input.hqc_197 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060904

SS5.0_Input.hqc_198 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060905
SS5.0_Input.hqc_199 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060906
SS5.0_Input.hqc_200 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060907
SS5.0_Input.hqc_201 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060908
SS5.0_Input.hqc_202 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060909
SS5.0_Input.hqc_203 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060910
SS5.0_Input.hqc_204 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060911
SS5.0_Input.hqc_205 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060912
SS5.0_Input.hqc_206 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060913
SS5.0_Input.hqc_207 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060914
SS5.0_Input.hqc_208 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060915
SS5.0_Input.hqc_209 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060916
SS5.0_Input.hqc_210 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060917
SS5.0_Input.hqc_211 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060918
SS5.0_Input.hqc_212 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060919
SS5.0_Input.hqc_213 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060920
SS5.0_Input.hqc_214 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060921
SS5.0_Input.hqc_215 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060922
SS5.0_Input.hqc_216 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001060923
SS5.0_Input.hqc_217 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061000
SS5.0_Input.hqc_218 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061001
SS5.0_Input.hqc_219 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061002
SS5.0_Input.hqc_220 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061003
SS5.0_Input.hqc_221 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061004
SS5.0_Input.hqc_222 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061005
SS5.0_Input.hqc_223 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061006
SS5.0_Input.hqc_224 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061007
SS5.0_Input.hqc_225 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061008
SS5.0_Input.hqc_226 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061009
SS5.0_Input.hqc_227 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061010
SS5.0_Input.hqc_228 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061011
SS5.0_Input.hqc_229 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061012
SS5.0_Input.hqc_230 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061013
SS5.0_Input.hqc_231 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061014
SS5.0_Input.hqc_232 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061015
SS5.0_Input.hqc_233 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061016
SS5.0_Input.hqc_234 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061017
SS5.0_Input.hqc_235 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061018
SS5.0_Input.hqc_236 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061019
SS5.0_Input.hqc_237 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061020
SS5.0_Input.hqc_238 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061021
SS5.0_Input.hqc_239 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061022
SS5.0_Input.hqc_240 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061023
SS5.0_Input.hqc_241 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061100
SS5.0_Input.hqc_242 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061101
SS5.0_Input.hqc_243 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061102

SS5.0_Input.hqc_244 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061103
SS5.0_Input.hqc_245 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061104
SS5.0_Input.hqc_246 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061105
SS5.0_Input.hqc_247 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061106
SS5.0_Input.hqc_248 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061107
SS5.0_Input.hqc_249 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061108
SS5.0_Input.hqc_250 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061109
SS5.0_Input.hqc_251 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061110
SS5.0_Input.hqc_252 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061111
SS5.0_Input.hqc_253 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061112
SS5.0_Input.hqc_254 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061113
SS5.0_Input.hqc_255 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061114
SS5.0_Input.hqc_256 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061115
SS5.0_Input.hqc_257 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061116
SS5.0_Input.hqc_258 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061117
SS5.0_Input.hqc_259 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061118
SS5.0_Input.hqc_260 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061119
SS5.0_Input.hqc_261 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061120
SS5.0_Input.hqc_262 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061121
SS5.0_Input.hqc_263 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061122
SS5.0_Input.hqc_264 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061123
SS5.0_Input.hqc_265 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061200
SS5.0_Input.hqc_266 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061201
SS5.0_Input.hqc_267 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061202
SS5.0_Input.hqc_268 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061203
SS5.0_Input.hqc_269 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061204
SS5.0_Input.hqc_270 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061205
SS5.0_Input.hqc_271 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061206
SS5.0_Input.hqc_272 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061207
SS5.0_Input.hqc_273 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061208
SS5.0_Input.hqc_274 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061209
SS5.0_Input.hqc_275 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061210
SS5.0_Input.hqc_276 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061211
SS5.0_Input.hqc_277 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061212
SS5.0_Input.hqc_278 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061213
SS5.0_Input.hqc_279 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061214
SS5.0_Input.hqc_280 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061215
SS5.0_Input.hqc_281 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061216
SS5.0_Input.hqc_282 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061217
SS5.0_Input.hqc_283 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061218
SS5.0_Input.hqc_284 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061219
SS5.0_Input.hqc_285 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061220
SS5.0_Input.hqc_286 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061221
SS5.0_Input.hqc_287 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061222
SS5.0_Input.hqc_288 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061223
SS5.0_Input.hqc_289 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061300

SS5.0_Input.hqc_290 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061301
SS5.0_Input.hqc_291 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061302
SS5.0_Input.hqc_292 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061303
SS5.0_Input.hqc_293 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061304
SS5.0_Input.hqc_294 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061305
SS5.0_Input.hqc_295 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061306
SS5.0_Input.hqc_296 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061307
SS5.0_Input.hqc_297 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061308
SS5.0_Input.hqc_298 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061309
SS5.0_Input.hqc_299 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061310
SS5.0_Input.hqc_300 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061311
SS5.0_Input.hqc_301 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061312
SS5.0_Input.hqc_302 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061313
SS5.0_Input.hqc_303 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061314
SS5.0_Input.hqc_304 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061315
SS5.0_Input.hqc_305 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061316
SS5.0_Input.hqc_306 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061317
SS5.0_Input.hqc_307 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061318
SS5.0_Input.hqc_308 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061319
SS5.0_Input.hqc_309 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061320
SS5.0_Input.hqc_310 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061321
SS5.0_Input.hqc_311 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061322
SS5.0_Input.hqc_312 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061323
SS5.0_Input.hqc_313 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061400
SS5.0_Input.hqc_314 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061401
SS5.0_Input.hqc_315 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061402
SS5.0_Input.hqc_316 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061403
SS5.0_Input.hqc_317 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061404
SS5.0_Input.hqc_318 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061405
SS5.0_Input.hqc_319 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061406
SS5.0_Input.hqc_320 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061407
SS5.0_Input.hqc_321 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061408
SS5.0_Input.hqc_322 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061409
SS5.0_Input.hqc_323 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061410
SS5.0_Input.hqc_324 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061411
SS5.0_Input.hqc_325 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061412
SS5.0_Input.hqc_326 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061413
SS5.0_Input.hqc_327 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061414
SS5.0_Input.hqc_328 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061415
SS5.0_Input.hqc_329 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061416
SS5.0_Input.hqc_330 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061417
SS5.0_Input.hqc_331 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061418
SS5.0_Input.hqc_332 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061419
SS5.0_Input.hqc_333 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061420
SS5.0_Input.hqc_334 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061421
SS5.0_Input.hqc_335 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061422

SS5.0_Input.hqc_336 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061423
SS5.0_Input.hqc_337 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061500
SS5.0_Input.hqc_338 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061501
SS5.0_Input.hqc_339 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061502
SS5.0_Input.hqc_340 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061503
SS5.0_Input.hqc_341 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061504
SS5.0_Input.hqc_342 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061505
SS5.0_Input.hqc_343 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061506
SS5.0_Input.hqc_344 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061507
SS5.0_Input.hqc_345 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061508
SS5.0_Input.hqc_346 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061509
SS5.0_Input.hqc_347 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061510
SS5.0_Input.hqc_348 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061511
SS5.0_Input.hqc_349 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061512
SS5.0_Input.hqc_350 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061513
SS5.0_Input.hqc_351 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061514
SS5.0_Input.hqc_352 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061515
SS5.0_Input.hqc_353 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061516
SS5.0_Input.hqc_354 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061517
SS5.0_Input.hqc_355 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061518
SS5.0_Input.hqc_356 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061519
SS5.0_Input.hqc_357 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061520
SS5.0_Input.hqc_358 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061521
SS5.0_Input.hqc_359 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061522
SS5.0_Input.hqc_360 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061523
SS5.0_Input.hqc_361 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061600
SS5.0_Input.hqc_362 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061601
SS5.0_Input.hqc_363 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061602
SS5.0_Input.hqc_364 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061603
SS5.0_Input.hqc_365 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061604
SS5.0_Input.hqc_366 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061605
SS5.0_Input.hqc_367 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061606
SS5.0_Input.hqc_368 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061607
SS5.0_Input.hqc_369 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061608
SS5.0_Input.hqc_370 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061609
SS5.0_Input.hqc_371 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061610
SS5.0_Input.hqc_372 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061611
SS5.0_Input.hqc_373 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061612
SS5.0_Input.hqc_374 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061613
SS5.0_Input.hqc_375 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061614
SS5.0_Input.hqc_376 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061615
SS5.0_Input.hqc_377 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061616
SS5.0_Input.hqc_378 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061617
SS5.0_Input.hqc_379 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061618
SS5.0_Input.hqc_380 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061619
SS5.0_Input.hqc_381 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061620

SS5.0_Input.hqc_382 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061621
SS5.0_Input.hqc_383 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061622
SS5.0_Input.hqc_384 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061623
SS5.0_Input.hqc_385 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061700
SS5.0_Input.hqc_386 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061701
SS5.0_Input.hqc_387 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061702
SS5.0_Input.hqc_388 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061703
SS5.0_Input.hqc_389 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061704
SS5.0_Input.hqc_390 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061705
SS5.0_Input.hqc_391 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061706
SS5.0_Input.hqc_392 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061707
SS5.0_Input.hqc_393 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061708
SS5.0_Input.hqc_394 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061709
SS5.0_Input.hqc_395 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061710
SS5.0_Input.hqc_396 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061711
SS5.0_Input.hqc_397 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061712
SS5.0_Input.hqc_398 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061713
SS5.0_Input.hqc_399 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061714
SS5.0_Input.hqc_400 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061715
SS5.0_Input.hqc_401 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061716
SS5.0_Input.hqc_402 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061717
SS5.0_Input.hqc_403 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061718
SS5.0_Input.hqc_404 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061719
SS5.0_Input.hqc_405 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061720
SS5.0_Input.hqc_406 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061721
SS5.0_Input.hqc_407 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061722
SS5.0_Input.hqc_408 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061723
SS5.0_Input.hqc_409 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061800
SS5.0_Input.hqc_410 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061801
SS5.0_Input.hqc_411 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061802
SS5.0_Input.hqc_412 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061803
SS5.0_Input.hqc_413 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061804
SS5.0_Input.hqc_414 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061805
SS5.0_Input.hqc_415 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061806
SS5.0_Input.hqc_416 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061807
SS5.0_Input.hqc_417 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061808
SS5.0_Input.hqc_418 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061809
SS5.0_Input.hqc_419 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061810
SS5.0_Input.hqc_420 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061811
SS5.0_Input.hqc_421 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061812
SS5.0_Input.hqc_422 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061813
SS5.0_Input.hqc_423 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061814
SS5.0_Input.hqc_424 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061815
SS5.0_Input.hqc_425 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061816
SS5.0_Input.hqc_426 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061817
SS5.0_Input.hqc_427 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061818

SS5.0_Input.hqc_428 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061819
SS5.0_Input.hqc_429 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061820
SS5.0_Input.hqc_430 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061821
SS5.0_Input.hqc_431 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061822
SS5.0_Input.hqc_432 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061823
SS5.0_Input.hqc_433 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061900
SS5.0_Input.hqc_434 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061901
SS5.0_Input.hqc_435 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061902
SS5.0_Input.hqc_436 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061903
SS5.0_Input.hqc_437 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061904
SS5.0_Input.hqc_438 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061905
SS5.0_Input.hqc_439 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061906
SS5.0_Input.hqc_440 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061907
SS5.0_Input.hqc_441 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061908
SS5.0_Input.hqc_442 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061909
SS5.0_Input.hqc_443 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061910
SS5.0_Input.hqc_444 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061911
SS5.0_Input.hqc_445 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061912
SS5.0_Input.hqc_446 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061913
SS5.0_Input.hqc_447 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061914
SS5.0_Input.hqc_448 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061915
SS5.0_Input.hqc_449 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061916
SS5.0_Input.hqc_450 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061917
SS5.0_Input.hqc_451 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061918
SS5.0_Input.hqc_452 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061919
SS5.0_Input.hqc_453 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061920
SS5.0_Input.hqc_454 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061921
SS5.0_Input.hqc_455 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061922
SS5.0_Input.hqc_456 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001061923
SS5.0_Input.hqc_457 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062000
SS5.0_Input.hqc_458 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062001
SS5.0_Input.hqc_459 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062002
SS5.0_Input.hqc_460 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062003
SS5.0_Input.hqc_461 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062004
SS5.0_Input.hqc_462 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062005
SS5.0_Input.hqc_463 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062006
SS5.0_Input.hqc_464 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062007
SS5.0_Input.hqc_465 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062008
SS5.0_Input.hqc_466 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062009
SS5.0_Input.hqc_467 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062010
SS5.0_Input.hqc_468 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062011
SS5.0_Input.hqc_469 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062012
SS5.0_Input.hqc_470 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062013
SS5.0_Input.hqc_471 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062014
SS5.0_Input.hqc_472 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062015
SS5.0_Input.hqc_473 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062016

SS5.0_Input.hqc_474 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062017
SS5.0_Input.hqc_475 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062018
SS5.0_Input.hqc_476 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062019
SS5.0_Input.hqc_477 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062020
SS5.0_Input.hqc_478 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062021
SS5.0_Input.hqc_479 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062022
SS5.0_Input.hqc_480 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062023
SS5.0_Input.hqc_481 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062100
SS5.0_Input.hqc_482 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062101
SS5.0_Input.hqc_483 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062102
SS5.0_Input.hqc_484 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062103
SS5.0_Input.hqc_485 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062104
SS5.0_Input.hqc_486 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062105
SS5.0_Input.hqc_487 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062106
SS5.0_Input.hqc_488 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062107
SS5.0_Input.hqc_489 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062108
SS5.0_Input.hqc_490 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062109
SS5.0_Input.hqc_491 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062110
SS5.0_Input.hqc_492 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062111
SS5.0_Input.hqc_493 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062112
SS5.0_Input.hqc_494 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062113
SS5.0_Input.hqc_495 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062114
SS5.0_Input.hqc_496 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062115
SS5.0_Input.hqc_497 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062116
SS5.0_Input.hqc_498 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062117
SS5.0_Input.hqc_499 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062118
SS5.0_Input.hqc_500 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062119
SS5.0_Input.hqc_501 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062120
SS5.0_Input.hqc_502 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062121
SS5.0_Input.hqc_503 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062122
SS5.0_Input.hqc_504 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062123
SS5.0_Input.hqc_505 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062200
SS5.0_Input.hqc_506 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062201
SS5.0_Input.hqc_507 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062202
SS5.0_Input.hqc_508 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062203
SS5.0_Input.hqc_509 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062204
SS5.0_Input.hqc_510 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062205
SS5.0_Input.hqc_511 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062206
SS5.0_Input.hqc_512 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062207
SS5.0_Input.hqc_513 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062208
SS5.0_Input.hqc_514 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062209
SS5.0_Input.hqc_515 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062210
SS5.0_Input.hqc_516 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062211
SS5.0_Input.hqc_517 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062212
SS5.0_Input.hqc_518 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062213
SS5.0_Input.hqc_519 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062214

SS5.0_Input.hqc_520 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062215
SS5.0_Input.hqc_521 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062216
SS5.0_Input.hqc_522 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062217
SS5.0_Input.hqc_523 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062218
SS5.0_Input.hqc_524 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062219
SS5.0_Input.hqc_525 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062220
SS5.0_Input.hqc_526 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062221
SS5.0_Input.hqc_527 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062222
SS5.0_Input.hqc_528 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062223
SS5.0_Input.hqc_529 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062300
SS5.0_Input.hqc_530 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062301
SS5.0_Input.hqc_531 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062302
SS5.0_Input.hqc_532 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062303
SS5.0_Input.hqc_533 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062304
SS5.0_Input.hqc_534 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062305
SS5.0_Input.hqc_535 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062306
SS5.0_Input.hqc_536 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062307
SS5.0_Input.hqc_537 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062308
SS5.0_Input.hqc_538 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062309
SS5.0_Input.hqc_539 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062310
SS5.0_Input.hqc_540 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062311
SS5.0_Input.hqc_541 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062312
SS5.0_Input.hqc_542 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062313
SS5.0_Input.hqc_543 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062314
SS5.0_Input.hqc_544 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062315
SS5.0_Input.hqc_545 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062316
SS5.0_Input.hqc_546 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062317
SS5.0_Input.hqc_547 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062318
SS5.0_Input.hqc_548 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062319
SS5.0_Input.hqc_549 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062320
SS5.0_Input.hqc_550 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062321
SS5.0_Input.hqc_551 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062322
SS5.0_Input.hqc_552 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062323
SS5.0_Input.hqc_553 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062400
SS5.0_Input.hqc_554 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062401
SS5.0_Input.hqc_555 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062402
SS5.0_Input.hqc_556 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062403
SS5.0_Input.hqc_557 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062404
SS5.0_Input.hqc_558 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062405
SS5.0_Input.hqc_559 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062406
SS5.0_Input.hqc_560 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062407
SS5.0_Input.hqc_561 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062408
SS5.0_Input.hqc_562 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062409
SS5.0_Input.hqc_563 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062410
SS5.0_Input.hqc_564 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062411
SS5.0_Input.hqc_565 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062412

SS5.0_Input.hqc_566 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062413
SS5.0_Input.hqc_567 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062414
SS5.0_Input.hqc_568 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062415
SS5.0_Input.hqc_569 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062416
SS5.0_Input.hqc_570 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062417
SS5.0_Input.hqc_571 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062418
SS5.0_Input.hqc_572 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062419
SS5.0_Input.hqc_573 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062420
SS5.0_Input.hqc_574 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062421
SS5.0_Input.hqc_575 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062422
SS5.0_Input.hqc_576 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062423
SS5.0_Input.hqc_577 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062500
SS5.0_Input.hqc_578 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062501
SS5.0_Input.hqc_579 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062502
SS5.0_Input.hqc_580 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062503
SS5.0_Input.hqc_581 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062504
SS5.0_Input.hqc_582 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062505
SS5.0_Input.hqc_583 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062506
SS5.0_Input.hqc_584 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062507
SS5.0_Input.hqc_585 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062508
SS5.0_Input.hqc_586 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062509
SS5.0_Input.hqc_587 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062510
SS5.0_Input.hqc_588 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062511
SS5.0_Input.hqc_589 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062512
SS5.0_Input.hqc_590 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062513
SS5.0_Input.hqc_591 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062514
SS5.0_Input.hqc_592 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062515
SS5.0_Input.hqc_593 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062516
SS5.0_Input.hqc_594 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062517
SS5.0_Input.hqc_595 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062518
SS5.0_Input.hqc_596 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062519
SS5.0_Input.hqc_597 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062520
SS5.0_Input.hqc_598 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062521
SS5.0_Input.hqc_599 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062522
SS5.0_Input.hqc_600 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062523
SS5.0_Input.hqc_601 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062600
SS5.0_Input.hqc_602 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062601
SS5.0_Input.hqc_603 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062602
SS5.0_Input.hqc_604 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062603
SS5.0_Input.hqc_605 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062604
SS5.0_Input.hqc_606 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062605
SS5.0_Input.hqc_607 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062606
SS5.0_Input.hqc_608 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062607
SS5.0_Input.hqc_609 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062608
SS5.0_Input.hqc_610 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062609
SS5.0_Input.hqc_611 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062610

SS5.0_Input.hqc_612 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062611
SS5.0_Input.hqc_613 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062612
SS5.0_Input.hqc_614 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062613
SS5.0_Input.hqc_615 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062614
SS5.0_Input.hqc_616 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062615
SS5.0_Input.hqc_617 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062616
SS5.0_Input.hqc_618 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062617
SS5.0_Input.hqc_619 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062618
SS5.0_Input.hqc_620 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062619
SS5.0_Input.hqc_621 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062620
SS5.0_Input.hqc_622 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062621
SS5.0_Input.hqc_623 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062622
SS5.0_Input.hqc_624 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062623
SS5.0_Input.hqc_625 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062700
SS5.0_Input.hqc_626 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062701
SS5.0_Input.hqc_627 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062702
SS5.0_Input.hqc_628 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062703
SS5.0_Input.hqc_629 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062704
SS5.0_Input.hqc_630 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062705
SS5.0_Input.hqc_631 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062706
SS5.0_Input.hqc_632 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062707
SS5.0_Input.hqc_633 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062708
SS5.0_Input.hqc_634 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062709
SS5.0_Input.hqc_635 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062710
SS5.0_Input.hqc_636 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062711
SS5.0_Input.hqc_637 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062712
SS5.0_Input.hqc_638 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062713
SS5.0_Input.hqc_639 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062714
SS5.0_Input.hqc_640 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062715
SS5.0_Input.hqc_641 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062716
SS5.0_Input.hqc_642 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062717
SS5.0_Input.hqc_643 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062718
SS5.0_Input.hqc_644 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062719
SS5.0_Input.hqc_645 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062720
SS5.0_Input.hqc_646 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062721
SS5.0_Input.hqc_647 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062722
SS5.0_Input.hqc_648 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062723
SS5.0_Input.hqc_649 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062800
SS5.0_Input.hqc_650 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062801
SS5.0_Input.hqc_651 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062802
SS5.0_Input.hqc_652 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062803
SS5.0_Input.hqc_653 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062804
SS5.0_Input.hqc_654 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062805
SS5.0_Input.hqc_655 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062806
SS5.0_Input.hqc_656 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062807
SS5.0_Input.hqc_657 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062808

SS5.0_Input.hqc_658 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062809
SS5.0_Input.hqc_659 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062810
SS5.0_Input.hqc_660 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062811
SS5.0_Input.hqc_661 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062812
SS5.0_Input.hqc_662 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062813
SS5.0_Input.hqc_663 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062814
SS5.0_Input.hqc_664 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062815
SS5.0_Input.hqc_665 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062816
SS5.0_Input.hqc_666 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062817
SS5.0_Input.hqc_667 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062818
SS5.0_Input.hqc_668 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062819
SS5.0_Input.hqc_669 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062820
SS5.0_Input.hqc_670 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062821
SS5.0_Input.hqc_671 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062822
SS5.0_Input.hqc_672 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062823
SS5.0_Input.hqc_673 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062900
SS5.0_Input.hqc_674 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062901
SS5.0_Input.hqc_675 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062902
SS5.0_Input.hqc_676 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062903
SS5.0_Input.hqc_677 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062904
SS5.0_Input.hqc_678 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062905
SS5.0_Input.hqc_679 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062906
SS5.0_Input.hqc_680 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062907
SS5.0_Input.hqc_681 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062908
SS5.0_Input.hqc_682 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062909
SS5.0_Input.hqc_683 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062910
SS5.0_Input.hqc_684 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062911
SS5.0_Input.hqc_685 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062912
SS5.0_Input.hqc_686 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062913
SS5.0_Input.hqc_687 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062914
SS5.0_Input.hqc_688 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062915
SS5.0_Input.hqc_689 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062916
SS5.0_Input.hqc_690 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062917
SS5.0_Input.hqc_691 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062918
SS5.0_Input.hqc_692 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062919
SS5.0_Input.hqc_693 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062920
SS5.0_Input.hqc_694 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062921
SS5.0_Input.hqc_695 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062922
SS5.0_Input.hqc_696 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001062923
SS5.0_Input.hqc_697 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063000
SS5.0_Input.hqc_698 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063001
SS5.0_Input.hqc_699 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063002
SS5.0_Input.hqc_700 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063003
SS5.0_Input.hqc_701 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063004
SS5.0_Input.hqc_702 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063005
SS5.0_Input.hqc_703 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063006

```

SS5.0_Input.hqc_704 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063007
SS5.0_Input.hqc_705 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063008
SS5.0_Input.hqc_706 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063009
SS5.0_Input.hqc_707 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063010
SS5.0_Input.hqc_708 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063011
SS5.0_Input.hqc_709 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063012
SS5.0_Input.hqc_710 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063013
SS5.0_Input.hqc_711 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063014
SS5.0_Input.hqc_712 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063015
SS5.0_Input.hqc_713 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063016
SS5.0_Input.hqc_714 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063017
SS5.0_Input.hqc_715 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063018
SS5.0_Input.hqc_716 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063019
SS5.0_Input.hqc_717 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063020
SS5.0_Input.hqc_718 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063021
SS5.0_Input.hqc_719 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063022
SS5.0_Input.hqc_720 = CER_HQCR_Terra-FM1-MODIS_SSIT_999999.2001063023
SS5.0_Input.crsb_1 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001060106
SS5.0_Input.crsb_2 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001060809
SS5.0_Input.crsb_3 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001061415
SS5.0_Input.crsb_4 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001062118
SS5.0_Input.crsb_5 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001063023
SS5.0_Input.crs_1 = CER_CRIS_Terra-FM1-MODIS_SSIT_999999.2001060106
SS5.0_Input.crs_2 = CER_CRIS_Terra-FM1-MODIS_SSIT_999999.2001060809
SS5.0_Input.crs_3 = CER_CRIS_Terra-FM1-MODIS_SSIT_999999.2001061415
SS5.0_Input.crs_4 = CER_CRIS_Terra-FM1-MODIS_SSIT_999999.2001062118
SS5.0_Input.crs_5 = CER_CRIS_Terra-FM1-MODIS_SSIT_999999.2001063023

```

```
#####
```

```
# Output file names
```

```
#####
```

```

SS5.0_Output.crsmqcavail = CER_HMAVAIL_Terra-FM1-MODIS_SSIT_999999.200106
SS5.0_Output.crsmqcregreport = CER_HMRV_Terra-FM1-MODIS_SSIT_999999.200106
SS5.0_Output.crsmqcregreport.html = CER_HMRV_Terra-FM1-
MODIS_SSIT_999999.200106.html
SS5.0_Output.crsmqcr.html = CER_HMQCR_Terra-FM1-MODIS_SSIT_999999.200106.html
SS5.0_Output.crsmqcr = CER_HMQCR_Terra-FM1-MODIS_SSIT_999999.200106
SS5.0_Input.crsbnew_1 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001060106
SS5.0_Input.crsbnew_2 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001060809
SS5.0_Input.crsbnew_3 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001061415
SS5.0_Input.crsbnew_4 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001062118
SS5.0_Input.crsbnew_5 = CER_CRSB_Terra-FM1-MODIS_SSIT_999999.2001063023
SS5.0_Input.crsbcomp_1 = CER_HCOMP_Terra-FM1-MODIS_SSIT_999999.2001060106
SS5.0_Input.crsbcomp_2 = CER_HCOMP_Terra-FM1-MODIS_SSIT_999999.2001060809
SS5.0_Input.crsbcomp_3 = CER_HCOMP_Terra-FM1-MODIS_SSIT_999999.2001061415

```

SS5.0_Input.crsbcomp_4 = CER_HCOMP_Terra-FM1-MODIS_SSIT_999999.2001062118
SS5.0_Input.crsbcomp_5 = CER_HCOMP_Terra-FM1-MODIS_SSIT_999999.2001063023

#####

Log file names

#####

SS5.0_Logsfile.1 = CER5.4P1_LogStatus_Terra-FM1-MODIS_SSIT_999999.200106
SS5.0_Logsfile.2 = CER5.4P1_LogReport_Terra-FM1-MODIS_SSIT_999999.200106
SS5.0_Logsfile.3 = CER5.4P1_LogUser_Terra-FM1-MODIS_SSIT_999999.200106

#####

Temporary file names

#####

Get_tempfile = GetAttr.temp.200106
MCF_tempfile = MCFWrite.temp.200106